

Gen V

Order No.: ONYGVL0531-0001603
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
 Batch#: 052926 - B0059, Batch Size: 800
 Sample Received: 05/31/2024 04:46
 Report Created: 06/14/2024 01:24
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Other





Results

| | |
|---|------------------------------------|
| 960.63 mg/unit CBD | 9.87 mg/unit CBN |
| 960.63 mg/unit Total CBD | 829.96 mg/unit Total THC |
| 1881.5 mg/unit Total Cannabinoids | 0.582% Total Terpenes |

Tests Summary

| | | |
|----------------------------------|-------------------------------------|----------------------------------|
| Cannabinoids Tested | Terpenes Tested | Microbials Pass |
| Heavy Metals Pass | Water Activity Not Tested | Residual Solvents Pass |
| Mycotoxins Pass | Moisture Not Tested | Pesticides Pass |
| Homogeneity Not Tested | | |

Dominant Terpenes



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0531-0001603
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
 Batch#: 052926 - B0059, Batch Size: 800
 Sample Received: 05/31/2024 04:46
 Report Created: 06/14/2024 01:24
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



Cannabinoids

SOP 801-NY

Date/Time Tested: 06/04/2024 14:09

Tested

| Analyte | LOQ (ug/mL) | mg/g | % | mg/unit |
|--------------------|-------------|-------|------|---------|
| CBDV | 59.66 | 0.16 | 0.02 | 10.28 |
| CBDa | 59.66 | ND | ND | ND |
| CBGa | 59.66 | ND | ND | ND |
| CBG | 59.66 | 0.44 | 0.04 | 28.49 |
| CBD | 59.66 | 14.78 | 1.48 | 960.63 |
| THCV | 59.66 | 0.1 | 0.01 | 6.59 |
| CBN | 59.66 | 0.15 | 0.02 | 9.87 |
| CBNa | 59.66 | < LOQ | ND | < LOQ |
| D9-THC | 59.66 | 12.77 | 1.28 | 829.96 |
| D8-THC | 59.66 | ND | ND | ND |
| (6aR,9S)-d10-THC | 59.66 | ND | ND | ND |
| (6aR,9R)-d10-THC | 59.66 | ND | ND | ND |
| CBC | 59.66 | 0.55 | 0.05 | 35.68 |
| THCa | 59.66 | ND | ND | ND |
| Total CBD | | 14.78 | 1.48 | 960.63 |
| Total THC | | 12.77 | 1.28 | 829.96 |
| Total Cannabinoids | | 28.95 | 2.89 | 1881.5 |

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0531-0001603
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
 Batch#: 052926 - B0059, Batch Size: 800
 Sample Received: 05/31/2024 04:46
 Report Created: 06/14/2024 01:24
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



Terpenes

SOP 620-NY
 Date/Time Tested: 06/05/2024 17:06

Tested

| Analyte | LOQ (ug/mL) | % |
|---------------------|-------------|--------------|
| Total Terpenes | | 0.582 |
| Eucalyptol | 159 | 0.343 |
| Linalool | 159 | 0.129 |
| Limonene | 159 | 0.032 |
| Camphor | 159 | 0.030 |
| a-Pinene | 159 | 0.027 |
| b-Caryophyllene | 159 | 0.021 |
| Camphene | 159 | < LOQ |
| d-3-Carene | 159 | ND |
| a-Phellandrene | 159 | ND |
| p-Cymene | 159 | < LOQ |
| b-Myrcene | 159 | < LOQ |
| g-Terpinene | 159 | < LOQ |
| Terpinolene | 159 | ND |
| Fenchol | 159 | ND |
| Sabinene Hydrate | 159 | ND |
| Fenchone | 159 | ND |
| Isopulegol | 159 | ND |
| Sabinene | 159 | ND |
| Isoborneol | 159 | ND |
| DL-Menthol | 159 | ND |
| Borneol | 159 | < LOQ |
| Terpineol | 159 | < LOQ |
| Nerol | 159 | ND |
| Pulegone | 159 | ND |
| Geraniol | 159 | ND |
| Geranyl Acetate | 159 | ND |
| a-Cedrene | 159 | ND |
| a-Terpinene | 159 | ND |
| a-Humulene | 159 | ND |
| Valencene | 159 | ND |
| cis-Nerolidol | 159 | ND |
| trans-Nerolidol | 159 | ND |
| Guaiol | 159 | ND |
| Caryophyllene Oxide | 159 | ND |
| Cedrol | 159 | ND |
| a-Bisabolol | 159 | < LOQ |




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0531-0001603
4473 Cherry Valley Turnpike
New York, 13084
caitlinb@ayrloom.com
6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
Batch#: 052926 - B0059, Batch Size: 800
Sample Received: 05/31/2024 04:46
Report Created: 06/14/2024 01:24
Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



| Analyte | LOQ (ug/mL) | % |
|-------------------|-------------|-------|
| trans-b-Ocimene | 159 | < LOQ |
| trans-b-Farnesene | 159 | ND |
| b-Pinene | 159 | < LOQ |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Gen V

Order No.: ONYGVL0531-0001603
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
 Batch#: 052926 - B0059, Batch Size: 800
 Sample Received: 05/31/2024 04:46
 Report Created: 06/14/2024 01:24
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



Microbials

SOP 401-NY SOP 619-NY
 Date/Time Tested: 06/05/2024 14:47

Pass

| Analyte | LOQ (CFU/g) | Limit (CFU/g) | CFU/g | Status |
|-----------------------|-------------|---------------|-------|--------|
| Aerobic Bacteria | | 10,000 | ND | Passed |
| Yeast & Mold | | 1,000 | ND | Passed |
| E. Coli | | 0 | ND | Passed |
| Aspergillus Flavus | | 0 | ND | Passed |
| Aspergillus Fumigatus | | 0 | ND | Passed |
| Aspergillus Niger | | 0 | ND | Passed |
| Aspergillus Terreus | | 0 | ND | Passed |
| Salmonella | | 0 | ND | Passed |

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0531-0001603
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
 Batch#: 052926 - B0059, Batch Size: 800
 Sample Received: 05/31/2024 04:46
 Report Created: 06/14/2024 01:24
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



Heavy Metals

SOP 250-NY
 Date/Time Tested: 06/04/2024 12:36

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------|------------|--------------|-------|--------|
| Antimony | 0.215 | 120.000 | ND | Passed |
| Arsenic | 0.215 | 1.500 | ND | Passed |
| Cadmium | 0.215 | 0.500 | ND | Passed |
| Chromium | 0.215 | 1,100.000 | ND | Passed |
| Copper | 0.258 | 300.000 | ND | Passed |
| Mercury | 0.052 | 3.000 | ND | Passed |
| Nickel | 0.258 | 20.000 | < LOQ | Passed |
| Lead | 0.215 | 0.500 | ND | Passed |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0531-0001603
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
 Batch#: 052926 - B0059, Batch Size: 800
 Sample Received: 05/31/2024 04:46
 Report Created: 06/14/2024 01:24
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



Residual Solvents

SOP 612-NY
 Date/Time Tested: 06/03/2024 15:50

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|--------------------|------------|--------------|------|--------|
| 1,2-Dichloroethane | 2 | 5 | ND | Passed |
| Acetone | 38 | 5,000 | ND | Passed |
| Acetonitrile | 15 | 410 | ND | Passed |
| Benzene | 2 | 2 | ND | Passed |
| Butane | 38 | 5,000 | ND | Passed |
| Chloroform | 2 | 60 | ND | Passed |
| Ethanol | 190 | 5,000 | ND | Passed |
| Ethyl Acetate | 190 | 5,000 | ND | Passed |
| Ethyl Ether | 19 | 5,000 | ND | Passed |
| DMSO | | 5,000 | TIC | Passed |
| Heptane | 19 | 5,000 | ND | Passed |
| Hexanes | 6 | 290 | ND | Passed |
| Isopropyl Alcohol | 190 | 5,000 | ND | Passed |
| Methanol | 114 | 3,000 | ND | Passed |
| Methylene Chloride | 2 | 600 | ND | Passed |
| Pentanes | 57 | 5,000 | ND | Passed |
| Propane | 19 | 5,000 | ND | Passed |
| Toluene | 3 | 890 | ND | Passed |
| Trichloroethane | | 1,500 | TIC | Passed |
| Xylenes | 250 | 2,170 | ND | Passed |

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0531-0001603
4473 Cherry Valley Turnpike
New York, 13084
caitlinb@ayrloom.com
6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
Batch#: 052926 - B0059, Batch Size: 800
Sample Received: 05/31/2024 04:46
Report Created: 06/14/2024 01:24
Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



Mycotoxins

SOP 808-NY

Date/Time Tested: 06/03/2024 13:30

Pass

| Analyte | LOQ (ng/g) | Limit (ng/g) | ng/g | Status |
|------------------|------------|--------------|------|--------|
| B1 | 4.8 | | ND | Tested |
| B2 | 4.8 | | ND | Tested |
| G1 | 4.8 | | ND | Tested |
| G2 | 4.8 | | ND | Tested |
| Ochratoxin A | 4.8 | 20.0 | ND | Passed |
| Total Aflatoxins | | 20.0 | ND | Passed |
| Total Mycotoxins | | | ND | Tested |

Notes:**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported**

Gen V

Order No.: ONYGVL0531-0001603
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
 Batch#: 052926 - B0059, Batch Size: 800
 Sample Received: 05/31/2024 04:46
 Report Created: 06/14/2024 01:24
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



Pesticides

SOP 814-NY
 Date/Time Tested: 06/02/2024 18:32

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|-----------------------|------------|--------------|------|--------|
| Abamectin | 0.38 | 0.50 | ND | Passed |
| Acephate | 0.10 | 0.40 | ND | Passed |
| Acequinocyl | 0.10 | 2.00 | ND | Passed |
| Acetamiprid | 0.10 | 0.20 | ND | Passed |
| Aldicarb | 0.10 | 0.40 | ND | Passed |
| Azoxystrobin | 0.10 | 0.20 | ND | Passed |
| Bifenazate | 0.10 | 0.20 | ND | Passed |
| Bifenthrin | 0.10 | 0.20 | ND | Passed |
| Boscalid | 0.10 | 0.40 | ND | Passed |
| Carbaryl | 0.10 | 0.20 | ND | Passed |
| Carbofuran | 0.10 | 0.20 | ND | Passed |
| Chlorantraniliprole | 0.10 | 0.20 | ND | Passed |
| Chlorpyrifos | 0.10 | 0.20 | ND | Passed |
| Clofentezine | 0.10 | 0.20 | ND | Passed |
| Coumaphos | 0.10 | 1.00 | ND | Passed |
| Cyfluthrin | 0.48 | 1.00 | ND | Passed |
| Cypermethrin | 0.10 | 1.00 | ND | Passed |
| Daminozide | 0.10 | 1.00 | ND | Passed |
| Diazinon | 0.10 | 0.20 | ND | Passed |
| Dichlorvos | 0.10 | 1.00 | ND | Passed |
| Dimethoate | 0.10 | 0.20 | ND | Passed |
| Dimethomorph | 0.10 | 1.00 | ND | Passed |
| Ethoprophos | 0.10 | 0.20 | ND | Passed |
| Etofenprox | 0.10 | 0.40 | ND | Passed |
| Etoxazole | 0.10 | 0.20 | ND | Passed |
| Fenhexamid | 0.10 | 1.00 | ND | Passed |
| Fenoxycarb | 0.10 | 0.20 | ND | Passed |
| Fenpyroximate | 0.10 | 0.40 | ND | Passed |
| Fipronil | 0.10 | 0.40 | ND | Passed |
| Flonicamid | 0.10 | 1.00 | ND | Passed |
| Fludioxonil | 0.10 | 0.40 | ND | Passed |
| Hexythiazox | 0.10 | 1.00 | ND | Passed |
| Imazalil | 0.10 | 0.20 | ND | Passed |
| Imidacloprid | 0.10 | 0.40 | ND | Passed |
| Indole-3 Butyric Acid | | 1.00 | TIC | Passed |
| Kresoxim Methyl | 0.10 | 0.40 | ND | Passed |
| Malathion | 0.10 | 0.20 | ND | Passed |



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0531-0001603
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0531-TOTH-0008547

Unit Weight: 65.0000g
 Batch#: 052926 - B0059, Batch Size: 800
 Sample Received: 05/31/2024 04:46
 Report Created: 06/14/2024 01:24
 Sampling SOP 204-NY

Ayrloom Restore

Topical, Other



| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|-----------------------|------------|--------------|------|--------|
| Mevinphos | 0.10 | 1.00 | ND | Passed |
| Metalaxyl | 0.10 | 0.20 | ND | Passed |
| Methiocarb | 0.10 | 0.20 | ND | Passed |
| Methomyl | 0.10 | 0.40 | ND | Passed |
| MGK-264 | | 0.20 | TIC | Passed |
| Myclobutanil | 0.10 | 0.20 | ND | Passed |
| Naled | 0.10 | 0.50 | ND | Passed |
| Oxamyl | 0.10 | 1.00 | ND | Passed |
| Paclobutrazol | 0.10 | 0.40 | ND | Passed |
| Permethrin | 0.10 | 0.20 | ND | Passed |
| Phosmet | 0.10 | 0.20 | ND | Passed |
| Piperonyl Butoxide | 0.10 | 2.00 | ND | Passed |
| Prallethrin | 0.10 | 0.20 | ND | Passed |
| Propiconazole | 0.10 | 0.40 | ND | Passed |
| Propoxur | 0.10 | 0.20 | ND | Passed |
| Pyrethrins | 0.07 | 1.00 | ND | Passed |
| Pyridaben | 0.10 | 0.20 | ND | Passed |
| Spinetoram | 0.10 | 1.00 | ND | Passed |
| Spinosyn AD | 0.10 | 0.20 | ND | Passed |
| Spiromesifen | 0.10 | 0.20 | ND | Passed |
| Spirotetramat | 0.10 | 0.20 | ND | Passed |
| Spiroxamine | 0.10 | 0.20 | ND | Passed |
| Tebuconazole | 0.10 | 0.40 | ND | Passed |
| Thiacloprid | 0.10 | 0.20 | ND | Passed |
| Thiamethoxam | 0.10 | 0.20 | ND | Passed |
| Trifloxystrobin | 0.10 | 0.20 | ND | Passed |
| Captan | | 1.00 | TIC | Passed |
| Methyl Parathion | | 0.20 | ND | Passed |
| Chlordane | | 1.00 | ND | Passed |
| Chlorfenapyr | | 1.00 | ND | Passed |
| PCNB | | 1.00 | ND | Passed |
| Azadirachtin | | 1.00 | ND | Passed |
| Chloromequat Chloride | | 1.00 | TIC | Passed |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.