

Gen V

Order No.: ONYGV1010-0002976
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1010-TSAL-0010267

Strain: Revive, Unit Weight: 65.0000g
 Batch#: 100726 - B0073, Batch Size: 800
 Report Received: 10/10/2024 01:57
 Report Created: 10/15/2024 16:36
 Sampling SOP 204-NY

Ayrloom Revive
 Topical, Salve





Results

1,051.880 mg/unit CBD	883.860 mg/unit D9-THC
1,051.88 mg/unit Total CBD	883.86 mg/unit Total THC
2,004.51 mg/unit Total Cannabinoids	0.533% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Not Tested	Homogeneity Not Tested	Terpenes Tested
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes





Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

2 of 7

Gen V

Order No.: ONYGV1010-0002976
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGV1010-TSAL-0010267

Strain: Revive, Unit Weight: 65.0000g
 Batch#: 100726 - B0073, Batch Size: 800
 Sample Received: 10/10/2024 01:57
 Report Created: 10/15/2024 16:36
 Sampling SOP 204-NY

Ayrloom Revive

Topical, Salve



Cannabinoids

SOP 801-NY

Date/Time Tested: 10/12/2024 18:22

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/unit
CBDV	59.55	0.08	0.01	5.42
CBDa	59.55	ND	ND	ND
CBGa	59.55	ND	ND	ND
CBG	59.55	0.43	0.04	27.97
CBD	59.55	16.18	1.62	1,051.88
THCV	59.55	0.11	0.01	7.40
CBN	59.55	0.26	0.03	16.82
D9-THC	59.55	13.60	1.36	883.86
D8-THC	59.55	ND	ND	ND
(6aR,9S)-d10-THC	59.55	ND	ND	ND
(6aR,9R)-d10-THC	59.55	ND	ND	ND
CBC	59.55	0.17	0.02	11.16
THCa	59.55	ND	ND	ND
Total CBD		16.18	1.62	1,051.88
Total THC		13.60	1.36	883.86
Total Cannabinoids		30.84	3.08	2,004.51

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGV1010-0002976
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGV1010-TSAL-0010267

Strain: Revive, Unit Weight: 65.0000g
 Batch#: 100726 - B0073, Batch Size: 800
 Sample Received: 10/10/2024 01:57
 Report Created: 10/15/2024 16:36
 Sampling SOP 204-NY

Ayrloom Revive

Topical, Salve



Terpenes

SOP 620-NY

Date/Time Tested: 10/10/2024 15:48

Tested

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
Total Terpenes		0.533	DL-Menthol	83	ND
Limonene	83	0.407	Borneol	83	ND
Linalool	83	0.071	Terpineol	83	< LOQ
g-Terpinene	83	0.024	Nerol	83	ND
b-Pinene	83	0.022	Pulegone	83	ND
p-Cymene	83	0.010	Geraniol	83	ND
Isoborneol	83	ND	Geranyl Acetate	83	< LOQ
Camphene	83	ND	a-Cedrene	83	< LOQ
a-Terpinene	83	ND	b-Caryophyllene	83	< LOQ
d-3-Carene	83	ND	a-Humulene	83	ND
a-Phellandrene	83	ND	Valencene	83	ND
Eucalyptol	83	ND	cis-Nerolidol	83	ND
b-Myrcene	83	< LOQ	trans-Nerolidol	83	ND
Terpinolene	83	ND	Guaiol	83	ND
Fenchol	83	ND	Caryophyllene Oxide	83	ND
Sabinene Hydrate	83	ND	Cedrol	83	ND
Fenchone	83	ND	a-Bisabolol	83	ND
Isopulegol	83	ND	trans-b-Ocimene	83	ND
Camphor	83	ND	trans-b-Farnesene	83	ND
a-Pinene	83	< LOQ	Sabinene	83	< LOQ

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

Gen V

Order No.: ONYGVL1010-0002976
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1010-TSAL-0010267

Strain: Revive, Unit Weight: 65.0000g
 Batch#: 100726 - B0073, Batch Size: 800
 Sample Received: 10/10/2024 01:57
 Report Created: 10/15/2024 16:36
 Sampling SOP 204-NY

Ayrloom Revive

Topical, Salve



Residual Solvents

SOP 612-NY

Date/Time Tested: 10/10/2024 15:15

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	40	5,000	ND	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	40	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	199	5,000	ND	Passed
Ethyl Acetate	199	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO	100	5,000	ND	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	199	5,000	< LOQ	Passed
Methanol	120	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	60	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane	4,985	1,500	ND	Passed
Xylenes	263	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	20	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 10/14/2024 03:41

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested	Ochratoxin A	4.6	20.0	ND	Passed
B2	4.6		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.6		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.6		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

5 of 7

Gen V

Order No.: ONYGV1010-0002976
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGVL1010-TSAL-0010267

Strain: Revive, Unit Weight: 65.0000g
Batch#: 100726 - B0073, Batch Size: 800
Sample Received: 10/10/2024 01:57
Report Created: 10/15/2024 16:36
Sampling SOP 204-NY

Ayrloom Revive

Topical, Salve



Heavy Metals

SOP 250-NY

Date/Time Tested: 10/14/2024 10:47

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.186	120.000	ND	Passed
Arsenic	0.186	1.500	ND	Passed
Cadmium	0.186	0.500	ND	Passed
Chromium	0.186	1,100.000	ND	Passed
Copper	0.223	300.000	ND	Passed
Mercury	0.045	3.000	ND	Passed
Nickel	0.223	20.000	ND	Passed
Lead	0.186	0.500	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL1010-0002976
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1010-TSAL-0010267

Strain: Revive, Unit Weight: 65.0000g
 Batch#: 100726 - B0073, Batch Size: 800
 Sample Received: 10/10/2024 01:57
 Report Created: 10/15/2024 16:36
 Sampling SOP 204-NY

Ayrloom Revive

Topical, Salve



Pesticides

SOP 814-NY

Date/Time Tested: 10/13/2024 12:16

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Fonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid	0.12	1.00	ND	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

7 of 7

Gen V

Order No.: ONYGV11010-0002976
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1010-TSAL-0010267

Strain: Revive, Unit Weight: 65.0000g
 Batch#: 100726 - B0073, Batch Size: 800
 Sample Received: 10/10/2024 01:57
 Report Created: 10/15/2024 16:36
 Sampling SOP 204-NY

Ayrloom Revive

Topical, Salve



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264	0.01	0.20	ND	Passed
Myclobutanil	0.09	0.20	ND	Passed
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	0.10	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin	0.12	1.00	ND	Passed
Chlormequat Chloride	0.02	1.00	ND	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.