



Certificate of Analysis

Sample: 2305ACTNY1292.4055

Kimberly Krisolofsky

05/12/2023

Kimberly Krisolofsky
Lead Technical Director


Date

Gen V Labs, LLC
 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2305ACTNY1292.4055
 Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
 Batch#: 042124
 Sample Received: 05/01/2023
 Report Created: 05/12/2023 12:23 pm
 Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water
 Ingestible, Beverage



	<p style="text-align: center;">5.490 mg/dose</p> <p style="text-align: center;">Total THC</p>	<p style="text-align: center;">5.238 mg/dose</p> <p style="text-align: center;">Total CBD</p>	<p style="text-align: center;">10.728 mg/dose</p> <p style="text-align: center;">Total Cannabinoids</p>
---	--	--	--

Cannabinoids

Complete

Method SOP 801-NY
 Date/Time Tested: 05/04/2023 17:55

Analyte	LOQ	Weight %	Mass
	ug/mL	mg/g	mg/dose
CBDV	0.5	ND	ND
CBDa	0.5	ND	ND
CBG	0.5	ND	ND
CBD	0.5	0.015	5.238
THCV	0.5	ND	ND
CBN	0.5	ND	ND
Δ9-THC	0.5	0.015	5.490
Δ8-THC	0.5	ND	ND
(6aR,9S)-d10-THC	0.5	ND	ND
(6aR,9R)-d10-THC	0.5	ND	ND
CBC	0.5	ND	ND
THCa	0.5	ND	ND
Total		0.030	10.728

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements.

ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2305ACTNY1292.4055

Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
Batch#: 042124
Sample Received: 05/01/2023
Report Created: 05/12/2023 12:23 pm
Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water

Ingestible, Beverage



Residual Solvents

SOP 612-NY
Date/Time Tested:**Not Tested**

Analyte	LOQ	Limit	Mass	Status
---------	-----	-------	------	--------

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2305ACTNY1292.4055

 Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
 Batch#: 042124
 Sample Received: 05/01/2023
 Report Created: 05/12/2023 12:23 pm
 Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water

Ingestible, Beverage



Pesticides

 SOP 814-NY
 Date/Time Tested: 05/08/2023 2:46 PM

Pass

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Abamectin	0.50	0.39	ND	Pass
Acephate	0.40	0.10	ND	Pass
Acequinocyl	2.00	0.10	ND	Pass
Acetamiprid	0.20	0.10	ND	Pass
Aldicarb	0.40	0.10	ND	Pass
Azadirachtin	1.00	0.08	ND	Pass
Azoxystrobin	0.20	0.10	ND	Pass
Bifenazate	0.20	0.10	ND	Pass
Bifenthrin	0.20	0.10	ND	Pass
Boscalid	0.40	0.10	ND	Pass
Captan	1.00		ND	Pass
Carbaryl	0.20	0.10	ND	Pass
Carbofuran	0.20	0.10	ND	Pass
Chlorantraniliprole	0.20	0.10	ND	Pass
Chlordane	1.00	0.10	ND	Pass
Chlorfenapyr	1.00	0.10	ND	Pass
Chlormequat chloride	1.00		ND	Pass
Chlorpyrifos	0.20	0.10	ND	Pass
Clofentezine	0.20	0.10	ND	Pass
Coumaphos	1.00	0.10	ND	Pass
Cyfluthrin	1.00	0.50	ND	Pass
Cypermethrin	1.00	0.10	ND	Pass
Daminozide	1.00	0.10	ND	Pass
Diazinon	0.20	0.10	ND	Pass
Dichlorvos	1.00	0.10	ND	Pass

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.
 ND = Not Detected; NT = Not Tested; NR = Not Reported


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


* indicates a subcontracted result. † indicates a result not regulated by OCM. ‡ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC
 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2305ACTNY1292.4055
 Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
 Batch#: 042124
 Sample Received: 05/01/2023
 Report Created: 05/12/2023 12:23 pm
 Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water

Ingestible, Beverage



Pesticides

Pass

SOP 814-NY
 Date/Time Tested: 05/08/2023 2:46 PM

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Dimethoate	0.20	0.10	ND	Pass
Dimethomorph	1.00	0.10	ND	Pass
Ethoprophos	0.20	0.10	ND	Pass
Etofenprox	0.40	0.10	ND	Pass
Etoxazole	0.20	0.10	ND	Pass
Fenhexamid	1.00	0.10	ND	Pass
Fenoxycarb	0.20	0.10	ND	Pass
Fenpyroximate	0.40	0.10	ND	Pass
Fipronil	0.40	0.10	ND	Pass
Fonicamid	1.00	0.10	ND	Pass
Fludioxonil	0.40	0.10	ND	Pass
Hexythiazox	1.00	0.10	ND	Pass
Imazalil	0.20	0.10	ND	Pass
Imidacloprid	0.40	0.10	ND	Pass
Indolebutyric Acid	1.00	0.08	ND	Pass
Kresoxim Methyl	0.40	0.10	ND	Pass
Malathion	0.20	0.10	ND	Pass
Metalaxyl	0.20	0.10	ND	Pass
Methiocarb	0.20	0.10	ND	Pass
Methomyl	0.40	0.10	ND	Pass
Methyl Parathion	0.20	0.10	ND	Pass
Mevinphos	1.00	0.10	ND	Pass
MGK-264	0.20		ND	Pass
Myclobutanil	0.20	0.10	ND	Pass
Naled	0.50	0.10	ND	Pass

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.
 ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ‡ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2305ACTNY1292.4055

 Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
 Batch#: 042124
 Sample Received: 05/01/2023
 Report Created: 05/12/2023 12:23 pm
 Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water

Ingestible, Beverage



Pesticides

 SOP 814-NY
 Date/Time Tested: 05/08/2023 2:46 PM

Pass

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Oxamyl	1.00	0.10	ND	Pass
Paclobutrazol	0.40	0.10	ND	Pass
Pentachloronitrobenzene	1.00	0.10	ND	Pass
Permethrins [M+NH4] Total	0.20	0.10	ND	Pass
Phosmet	0.20	0.10	ND	Pass
Piperonyl Butoxide	2.00	0.10	ND	Pass
Prallethrin	0.20	0.10	ND	Pass
Propiconazole	0.40	0.10	ND	Pass
Propoxur	0.20	0.10	ND	Pass
Pyrethrins Total	1.00	0.07	ND	Pass
Pyridaben	0.20	0.10	ND	Pass
Spinetoram Total	1.00	0.10	ND	Pass
Spinosad Total	0.20	0.10	ND	Pass
Spiromesifen	0.20	0.10	ND	Pass
Spirotetramat	0.20	0.10	ND	Pass
Spiroxamine	0.20	0.10	ND	Pass
Tebuconazole	0.40	0.10	ND	Pass
Thiacloprid	0.20	0.10	ND	Pass
Thiamethoxam	0.20	0.10	ND	Pass
Trifloxystrobin	0.20	0.10	ND	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.
 ND = Not Detected; NT = Not Tested; NR = Not Reported


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


* indicates a subcontracted result. † indicates a result not regulated by OCM. ‡ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC
 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2305ACTNY1292.4055
 Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
 Batch#: 042124
 Sample Received: 05/01/2023
 Report Created: 05/12/2023 12:23 pm
 Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water
 Ingestible, Beverage



Microbials

Date/Time Tested: 05/04/2023 1233

◆SOP 401-NY ◆SOP 619-NY

Analyte	Limit	Units	Status
Total Viable Aerobic Bacteria (3M)	10000	CFU/g	Pass
Total Yeast & Mold (3M)	1000	CFU/g	Pass
STEC E. Coli (PDx)	Absent	Absent	Pass
Aspergillus Species (PDx)	Absent	Absent	Pass
Salmonella Species (PDx)	Absent	Absent	Pass

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC
 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2305ACTNY1292.4055
 Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
 Batch#: 042124
 Sample Received: 05/01/2023
 Report Created: 05/12/2023 12:23 pm
 Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water

Ingestible, Beverage



Heavy Metals

Pass

SOP 250-NY
 Date/Time Tested: 05/05/2023 10:32

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Antimony	120	0.240	<LOQ	Pass
Arsenic	1.5	0.200	<LOQ	Pass
Cadmium	0.5	0.200	<LOQ	Pass
Chromium	1100	0.240	<LOQ	Pass
Copper	300	0.240	<LOQ	Pass
Lead	0.5	0.240	<LOQ	Pass
Mercury	3	0.048	<LOQ	Pass
Nickel	20	0.240	<LOQ	Pass

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC
4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2305ACTNY1292.4055
Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
Batch#: 042124
Sample Received: 05/01/2023
Report Created: 05/12/2023 12:23 pm
Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water
Ingestible, Beverage



Mycotoxins

Pass

SOP 303-NY
Date/Time Tested: 05/05/2023

Analyte	Mass	Limit	LOQ	Status
Ochratoxin A	ng/g Absent	ng/g 20	ng/g 4.2	Pass
Total Aflatoxins	ng/g Absent	ng/g 20	ng/g 4.2	Pass

Notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Gen V Labs, LLC
4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2305ACTNY1292.4055
Strain: BEV0031 Ayrloom Pineapple Mango Sparkling Water
Batch#: 042124
Sample Received: 05/01/2023
Report Created: 05/12/2023 12:23 pm
Sampling SOP 204-NY

BEV0031 Ayrloom Pineapple Mango Sparkling Water
Ingestible, Beverage



Water Activity
(SOP 206-NY)

Complete

NR
0.85 Limit
Water Activity



Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. † indicates ISO 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.