

## Gen V

Order No.: ONYGVL0722-0002007  
 4473 Cherry Valley Turnpike  
 New York, 13084  
 caitlinb@ayrloom.com  
 6072833623

## Sample: SNYGVL0722-IBEV-0009075

Batch#: 071125 BEV0182A, Batch Size: 35000  
 Sample Received: 07/22/2024 02:44  
 Report Created: 10/01/2024 12:57  
 Sampling SOP 204-NY

Ayrloom UP Vanilla Cola  
 Ingestible, Beverage



## Results

<b>10.140 mg/dose</b> D9-THC	<b>5.600 mg/dose</b> CBD
<b>5.6</b> Total CBD	<b>10.14</b> Total THC
<b>15.74</b> Total Cannabinoids	<b>0%</b> Total Terpenes

## Tests Summary

<b>Cannabinoids</b> Tested	<b>Moisture</b> Not Tested	<b>Microbials</b> Pass
<b>Water Activity</b> Not Tested	<b>Homogeneity</b> Not Tested	<b>Terpenes</b> Tested
<b>Residual Solvents</b> Pass	<b>Mycotoxins</b> Pass	<b>Heavy Metals</b> Pass
<b>Pesticides</b> Pass		

## Dominant Terpenes

No terpenes detected



# Certificate of Analysis

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Adult Use

2 of 7

## Gen V

Order No.: ONYGVL0722-0002007  
4473 Cherry Valley Turnpike  
New York, 13084  
caitlinb@ayrloom.com  
6072833623

## Sample: SNYGVL0722-IBEV-0009075

Batch#: 071125 BEV0182A, Batch Size: 35000  
Sample Received: 07/22/2024 02:44  
Report Created: 10/01/2024 12:57  
Sampling SOP 204-NY

## Ayrloom UP Vanilla Cola

Ingestible, Beverage



## Cannabinoids

SOP 801-NY

Date/Time Tested: 07/23/2024 11:55

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose
CBDV	3.00	ND	ND	ND
CBDa	3.00	ND	ND	ND
CBGa	3.00	ND	ND	ND
CBG	3.00	ND	ND	ND
CBD	3.00	0.02	0.00	5.60
THCV	3.00	ND	ND	ND
CBN	3.00	ND	ND	ND
D9-THC	3.00	0.03	0.00	10.14
D8-THC	3.00	ND	ND	ND
(6aR,9S)-d10-THC	3.00	ND	ND	ND
(6aR,9R)-d10-THC	3.00	ND	ND	ND
CBC	3.00	ND	ND	ND
THCa	3.00	ND	ND	ND
Total CBD		0.02	0.00	5.60
Total THC		0.03	0.00	10.14
Total Cannabinoids		0.04	0.00	15.74

### Notes:

**AMENDED Rev01: Updated format of batch number**  
Total THC = THCa \* 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC  
Total CBD = CBDa \* 0.877 + CBD  
Total Cannabinoids = Sum of all cannabinoids  
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Microbials

SOP 401-NY SOP 619-NY

Date/Time Tested: 07/23/2024 11:50

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

### Notes:

**AMENDED Rev01: Updated format of batch number**  
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



**Kimberly Krisolofsky**  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Adult Use

3 of 7

## Gen V

Order No.: ONYGVL0722-0002007  
4473 Cherry Valley Turnpike  
New York, 13084  
caitlinb@ayrloom.com  
6072833623

## Sample: SNYGVL0722-IBEV-0009075

Batch#: 071125 BEV0182A, Batch Size: 35000  
Sample Received: 07/22/2024 02:44  
Report Created: 10/01/2024 12:57  
Sampling SOP 204-NY

Ayrloom UP Vanilla Cola  
Ingestible, Beverage



## Terpenes

SOP 620-NY  
Date/Time Tested: 07/23/2024 17:19

Tested

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
Total Terpenes		ND	DL-Menthol	159	ND
a-Pinene	159	ND	Borneol	159	ND
Camphene	159	ND	Terpineol	159	ND
Sabinene	159	ND	Nerol	159	ND
b-Pinene	159	ND	Pulegone	159	ND
b-Myrcene	159	ND	Geraniol	159	ND
a-Phellandrene	159	ND	Geranyl Acetate	159	ND
d-3-Carene	159	ND	a-Cedrene	159	ND
a-Terpinene	159	ND	b-Caryophyllene	159	ND
Limonene	159	ND	a-Humulene	159	ND
Eucalyptol	159	ND	Valencene	159	ND
g-Terpinene	159	ND	cis-Nerolidol	159	ND
Terpinolene	159	ND	trans-Nerolidol	159	ND
Fenchol	159	ND	Guaiol	159	ND
Sabinene Hydrate	159	ND	Caryophyllene Oxide	159	ND
Linalool	159	ND	Cedrol	159	ND
Fenchone	159	ND	a-Bisabolol	159	ND
Isopulegol	159	ND	trans-b-Ocimene	159	ND
Camphor	159	ND	trans-b-Farnesene	159	ND
Isoborneol	159	ND	p-Cymene	159	ND

### Notes:

AMENDED Rev01: Updated format of batch number  
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

## Gen V

Order No.: ONYGVL0722-0002007  
 4473 Cherry Valley Turnpike  
 New York, 13084  
 caitlinb@ayrloom.com  
 6072833623

## Sample: SNYGVL0722-IBEV-0009075

Batch#: 071125 BEV0182A, Batch Size: 35000  
 Sample Received: 07/22/2024 02:44  
 Report Created: 10/01/2024 12:57  
 Sampling SOP 204-NY

## Ayrloom UP Vanilla Cola

Ingestible, Beverage



## Residual Solvents

SOP 612-NY

Date/Time Tested: 07/23/2024 13:11

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	41	5,000	ND	Passed
Acetonitrile	16	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	41	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	205	5,000	ND	Passed
Ethyl Acetate	205	5,000	ND	Passed
Ethyl Ether	20	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	20	5,000	ND	Passed
Hexanes	6	290	ND	Passed
Isopropyl Alcohol	205	5,000	ND	Passed
Methanol	123	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	61	5,000	ND	Passed
Propane	20	5,000	ND	Passed
Toluene	4	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	270	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

### Notes:

**AMENDED Rev01: Updated format of batch number**

**LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.**



# Certificate of Analysis

OCM-CPL-2022-00001  
ACT Laboratories (NY)  
16 Corporate Drive, Halfmoon, New York  
5172272612  
kimberlyk@actlab.com

Compliance

Adult Use

5 of 7

## Gen V

Order No.: ONYGVL0722-0002007  
4473 Cherry Valley Turnpike  
New York, 13084  
caitlinb@ayrloom.com  
6072833623

## Sample: SNYGVL0722-IBEV-0009075

Batch#: 071125 BEV0182A, Batch Size: 35000  
Sample Received: 07/22/2024 02:44  
Report Created: 10/01/2024 12:57  
Sampling SOP 204-NY

## Ayrloom UP Vanilla Cola

Ingestible, Beverage



## Mycotoxins

SOP 808-NY

Date/Time Tested: 07/24/2024 18:54

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	5.0		ND	Tested
B2	5.0		ND	Tested
G1	5.0		ND	Tested
G2	5.0		ND	Tested
Ochratoxin A	5.0	20.0	ND	Passed
Total Aflatoxins		20.0	ND	Passed
Total Mycotoxins			ND	Tested

### Notes:

AMENDED Rev01: Updated format of batch number

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

## Heavy Metals

SOP 250-NY

Date/Time Tested: 07/23/2024 14:26

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.186	120.000	< LOQ	Passed
Arsenic	0.186	1.500	ND	Passed
Cadmium	0.186	0.500	ND	Passed
Chromium	0.186	1,100.000	ND	Passed
Copper	0.223	300.000	ND	Passed
Mercury	0.045	3.000	ND	Passed
Nickel	0.223	20.000	ND	Passed
Lead	0.186	0.500	ND	Passed

### Notes:

AMENDED Rev01: Updated format of batch number

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky  
Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

## Gen V

Order No.: ONYGVL0722-0002007  
 4473 Cherry Valley Turnpike  
 New York, 13084  
 caitlinb@ayrloom.com  
 6072833623

## Sample: SNYGVL0722-IBEV-0009075

Batch#: 071125 BEV0182A, Batch Size: 35000  
 Sample Received: 07/22/2024 02:44  
 Report Created: 10/01/2024 12:57  
 Sampling SOP 204-NY

Ayrloom UP Vanilla Cola  
 Ingestible, Beverage



## Pesticides

SOP 814-NY  
 Date/Time Tested: 07/23/2024 17:14

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.39	0.50	ND	Passed
Acephate	0.10	0.40	ND	Passed
Acequinocyl	0.10	2.00	ND	Passed
Acetamiprid	0.10	0.20	ND	Passed
Aldicarb	0.10	0.40	ND	Passed
Azoxystrobin	0.10	0.20	ND	Passed
Bifenazate	0.10	0.20	ND	Passed
Bifenthrin	0.10	0.20	ND	Passed
Boscalid	0.10	0.40	ND	Passed
Carbaryl	0.10	0.20	ND	Passed
Carbofuran	0.10	0.20	ND	Passed
Chlorantraniliprole	0.10	0.20	ND	Passed
Chlorpyrifos	0.10	0.20	ND	Passed
Clofentezine	0.10	0.20	ND	Passed
Coumaphos	0.10	1.00	ND	Passed
Cyfluthrin	0.50	1.00	ND	Passed
Cypermethrin	0.10	1.00	ND	Passed
Daminozide	0.10	1.00	ND	Passed
Diazinon	0.10	0.20	ND	Passed
Dichlorvos	0.10	1.00	ND	Passed
Dimethoate	0.10	0.20	ND	Passed
Dimethomorph	0.10	1.00	ND	Passed
Ethoprophos	0.10	0.20	ND	Passed
Etofenprox	0.10	0.40	ND	Passed
Etoxazole	0.10	0.20	ND	Passed
Fenhexamid	0.10	1.00	ND	Passed
Fenoxycarb	0.10	0.20	ND	Passed
Fenpyroximate	0.10	0.40	ND	Passed
Fipronil	0.10	0.40	ND	Passed
Fonicamid	0.10	1.00	ND	Passed
Fludioxonil	0.10	0.40	ND	Passed
Hexythiazox	0.10	1.00	ND	Passed
Imazalil	0.10	0.20	ND	Passed
Imidacloprid	0.10	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	ND	Passed
Kresoxim Methyl	0.10	0.40	ND	Passed
Malathion	0.10	0.20	ND	Passed
Mevinphos	0.10	1.00	ND	Passed
Metalaxyl	0.10	0.20	ND	Passed
Methiocarb	0.10	0.20	ND	Passed
Methomyl	0.10	0.40	ND	Passed




**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



# Certificate of Analysis

OCM-CPL-2022-00001  
 ACT Laboratories (NY)  
 16 Corporate Drive, Halfmoon, New York  
 5172272612  
 kimberlyk@actlab.com

Compliance

Adult Use

7 of 7

## Gen V

Order No.: ONYGVL0722-0002007  
 4473 Cherry Valley Turnpike  
 New York, 13084  
 caitlinb@ayrloom.com  
 6072833623

## Sample: SNYGVL0722-IBEV-0009075

Batch#: 071125 BEV0182A, Batch Size: 35000  
 Sample Received: 07/22/2024 02:44  
 Report Created: 10/01/2024 12:57  
 Sampling SOP 204-NY

Ayrloom UP Vanilla Cola  
 Ingestible, Beverage



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
MGK-264		0.20	ND	Passed
Myclobutanil	0.10	0.20	ND	Passed
Naled	0.10	0.50	ND	Passed
Oxamyl	0.10	1.00	ND	Passed
Paclobutrazol	0.10	0.40	ND	Passed
Permethrin	0.10	0.20	ND	Passed
Phosmet	0.10	0.20	ND	Passed
Piperonyl Butoxide	0.10	2.00	ND	Passed
Prallethrin	0.10	0.20	ND	Passed
Propiconazole	0.10	0.40	ND	Passed
Propoxur	0.10	0.20	ND	Passed
Pyrethrins	0.07	1.00	ND	Passed
Pyridaben	0.10	0.20	ND	Passed
Spinetoram	0.10	1.00	ND	Passed
Spinosyn AD	0.10	0.20	ND	Passed
Spiromesifen	0.10	0.20	ND	Passed
Spirotetramat	0.10	0.20	ND	Passed
Spiroxamine	0.10	0.20	ND	Passed
Tebuconazole	0.10	0.40	ND	Passed
Thiacloprid	0.10	0.20	ND	Passed
Thiamethoxam	0.10	0.20	ND	Passed
Trifloxystrobin	0.10	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.10	0.20	ND	Passed
Chlordane	0.10	1.00	ND	Passed
Chlorfenapyr	0.10	1.00	ND	Passed
PCNB	0.10	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chlormequat Chloride		1.00	ND	Passed

### Notes:

**AMENDED Rev01: Updated format of batch number**

**LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.**



**Kimberly Krisolofsky**  
 Lead Technical Director

\* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.