4473 Cherry Valley Tpk Lafayette, NY 13084 cboland@ayrloom.com 315-420-9584

License #: OCM-AUCP-22-000007

Date Released: 3/29/2023 8:53:07PM

Report #: 891

Island Time UP Line Test

Sample #: 628, Weight: 40.00g, Unit Count:

Order #: X230324-0002

Category/Type: Ingestible, Edibles Date Collected: 3/24/2023 9:43:10AM Date Received: 3/25/2023 11:35:01AM Date Analyzed: 3/29/2023 8:50:18PM Regulator Sample ID: 031624 G0070

Regulator Source Package ID: 031624 G0070

Regulator Batch ID: 031624 G0070



Total Cannabinoids 13.05 mg/svg 3.0 mg/g



Total THC 9.50 mg/svg 3.45 mg/svg 0.8 mg/g 2.2 mg/g



Heavy Metals **PASS**



Microbials **PASS**



Residual Solvents PASS



Pesticides PASS



PASS



PASS

Potency Analysis by HPLC

Total Cannabinoids: 13.05 mg/svg - 3.0 mg/g

Total THC: 9.50 mg/svg - 2.2 mg/g Total CBD: 3.45 mg/svg - 0.8 mg/g

| Compound | CAS# | LOQ (mg/svg) | mg/svg | mg/g |
|----------|------------|-----------------|--------|------|
| d9-THC | 1972-08-3 | 0.1 | 9.50 | 2.2 |
| CBD | 13956-29-1 | 0.1 | 3.45 | 0.8 |
| THCV | 31262-37-0 | 0.1 | 0.10 | ND |
| THCa | 23978-85-0 | 0.1 | ND | ND |
| d8-THC | 5957-75-5 | 0.1 | ND | ND |
| d10-THC | 95543-62-7 | 0.1 | ND | ND |
| CBDa | 1244-58-2 | 0.1 | ND | ND |
| CBDV | 24274-48-4 | 0.1 | ND | ND |
| CBC | 20675-51-8 | 0.1 | ND | ND |
| CBG | 25654-31-3 | 0.1 | ND | ND |
| CBGa | 25555-57-1 | 0.1 | ND | ND |
| CBN | 521-35-7 | 0.1 | ND | ND |

Date Completed: 03/28/2023 9:53AM

Relative Concentration

Test Comment: Cannabinoids analyzed by HPLC using P-NY100. The reported result is based on a sample weight using moisture content for flower samples unless moisture is listed as zero or ND. Unless otherwise stated all QC passed

Total CBD = CBD + (0.877*CBDa)

Total THC = d9-THC + d8-THC + d10-THC + (0.877*THCa) d8-THC is an abbreviation for delta-8 tetrahydrocannabinol.

d9-THC is an abbreviation for delta-9 tetrahydrocannabinol.

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007

Kelly N. Greeled



4473 Cherry Valley Tpk Lafayette, NY 13084 cboland@ayrloom.com 315-420-9584

License #: OCM-AUCP-22-000007

Island Time UP Line Test Sample #: 628

| Water Activity by Meter | | Pass | | Date Completed: 03/28/2023 9:57 | |
|-------------------------|---|---------------------------------|--|---------------------------------|--------|
| | Compound | LOQ (Aw) | Limits (Aw) | Result (Aw) | Status |
| - | Water Activity | 0.05 | 0.85 | 0.65 | Pass |
| Con | nment: Physical chemistry was tested using moisture analyzer, water | er activity meter using P-NY 16 | 60. Unless otherwise stated, all QC passed | i. | |

| esticides by LCMSMS | Pass | ; | Date Completed: | : 03/28/2023 9:44 |
|----------------------|------------|---------------|-----------------|-------------------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Abamectin | 0.01 | 0.5 | ND | Pass |
| Acephate | 0.01 | 0.4 | ND | Pass |
| Acequinocyl | 0.01 | 2 | ND | Pass |
| Acetamiprid | 0.01 | 0.2 | ND | Pass |
| Aldicarb | 0.01 | 0.4 | ND | Pass |
| Azadirachtin | 0.01 | 1 | ND | Pass |
| Azoxystrobin | 0.01 | 0.2 | ND | Pass |
| Bifenazate | 0.01 | 0.2 | ND | Pass |
| Bifenthrin | 0.01 | 0.2 | ND | Pass |
| Boscalid | 0.01 | 0.4 | ND | Pass |
| Carbaryl | 0.01 | 0.2 | ND | Pass |
| Carbofuran | 0.01 | 0.2 | ND | Pass |
| Chlorantraniliprole | 0.01 | 0.2 | ND | Pass |
| Chlormequat Chloride | 0.01 | 1 | ND | Pass |
| Chlorpyrifos | 0.01 | 0.2 | ND | Pass |
| Clofentezine | 0.01 | 0.2 | ND | Pass |
| Coumaphos | 0.01 | 1 | ND | Pass |
| Cyfluthrin | 0.01 | 1 | ND | Pass |
| Cypermethrin | 0.01 | 1 | ND | Pass |
| Daminozide | 0.01 | 1 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy,

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007

Kelly N Grealed



4473 Cherry Valley Tpk Lafayette, NY 13084 cboland@ayrloom.com 315-420-9584

License #: OCM-AUCP-22-000007

Sample #: 628 Island Time UP Line Test

| sticides by LCMSMS | Pass | ; | Date Completed: 03/28/2023 9:44 a | |
|--------------------|------------|---------------|-----------------------------------|--------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Diazinon | 0.01 | 0.2 | ND | Pass |
| Dichlorvos | 0.01 | 1 | ND | Pass |
| Dimethoate | 0.01 | 0.2 | ND | Pass |
| Dimethomorph | 0.01 | 1 | ND | Pass |
| Ethoprophos | 0.01 | 0.2 | ND | Pass |
| Etofenprox | 0.01 | 0.4 | ND | Pass |
| Etoxazole | 0.01 | 0.2 | ND | Pass |
| Fenhexamid | 0.01 | 1 | ND | Pass |
| Fenoxycarb | 0.01 | 0.2 | ND | Pass |
| Fenpyroximate | 0.01 | 0.4 | ND | Pass |
| Fipronil | 0.01 | 0.4 | ND | Pass |
| Flonicamid | 0.01 | 1 | ND | Pass |
| Fludioxonil | 0.01 | 0.4 | ND | Pass |
| Hexythiazox | 0.01 | 1 | ND | Pass |
| lmazalil | 0.01 | 0.2 | ND | Pass |
| Imidacloprid | 0.01 | 0.4 | ND | Pass |
| Indolebutyric Acid | 0.01 | 1 | ND | Pass |
| Kresoxim-methyl | 0.01 | 0.4 | ND | Pass |
| Malathion | 0.01 | 0.2 | ND | Pass |
| Metalaxyl | 0.01 | 0.2 | ND | Pass |
| Methiocarb | 0.01 | 0.2 | ND | Pass |
| Mevinphos | 0.01 | 1 | ND | Pass |
| Myclobutanil | 0.01 | 0.2 | ND | Pass |
| Naled | 0.01 | 0.5 | ND | Pass |
| Oxamyl | 0.01 | 1 | ND | Pass |
| Paclobutrazol | 0.01 | 0.4 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007

Kelly N Gue La



Final

4473 Cherry Valley Tpk Lafayette, NY 13084 cboland@ayrloom.com 315-420-9584

License #: OCM-AUCP-22-000007

Sample #: 628

Island Time UP Line Test

| sticides by LCMSMS | Pass | Pass | | d: 03/28/2023 9:44 a |
|--------------------|------------|---------------|---------------|----------------------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Permethrin | 0.01 | 0.2 | ND | Pass |
| Phosmet | 0.01 | 0.2 | ND | Pass |
| Piperonyl Butoxide | 0.01 | 2 | ND | Pass |
| Prallethrin | 0.01 | 0.2 | ND | Pass |
| Propiconazole | 0.01 | 0.4 | ND | Pass |
| Propoxur | 0.01 | 0.2 | ND | Pass |
| Pyrethrins Total | 0.01 | 1 | ND | Pass |
| Pyridaben | 0.01 | 0.2 | ND | Pass |
| Spinetoram | 0.01 | 1 | ND | Pass |
| Spinosad Total | 0.01 | .2 | ND | Pass |
| Spiromesifen | 0.01 | 0.2 | ND | Pass |
| Spirotetramat | 0.01 | 0.2 | ND | Pass |
| Spiroxamine | 0.01 | 0.2 | ND | Pass |
| Tebuconazole | 0.01 | 0.4 | ND | Pass |
| Thiacloprid | 0.01 | 0.2 | ND | Pass |
| Thiamethoxam | 0.01 | 0.2 | ND | Pass |
| Trifloxystrobin | 0.01 | 0.2 | ND | Pass |

| Re | esidual Solvents by HS-GC-MS | Pass | | Date Completed: 03/28/2023 10:33 an | |
|----|------------------------------|-----------|--------------|-------------------------------------|--------|
| | Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
| | 1,4-Dioxane | 50 | 380 | ND | Pass |
| | 2-Butanol | 50 | 5000 | ND | Pass |
| | 2-Ethoxyethanol | 50 | 160 | ND | Pass |
| | 3-Methylpentane | 10 | | ND | Pass |
| | Acetone | 50 | 5000 | ND | Pass |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported berein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007

Kelly N. Greelal



4473 Cherry Valley Tpk Lafayette, NY 13084 cboland@ayrloom.com 315-420-9584

License #: OCM-AUCP-22-000007

Sample #: 628 **Island Time UP Line Test**

| sidual Solvents by HS-GC-MS | Pass | ; | Date Completed | : 03/28/2023 10:33 |
|-----------------------------|-----------|--------------|----------------|--------------------|
| Compound | LOQ (ppm) | Limits (ppm) | Result (ppm) | Status |
| Acetonitrile | 50 | 410 | ND | Pass |
| Benzene | 0.5 | 2 | ND | Pass |
| Butanes ppm | 25 | 5000 | ND | Pass |
| Cumene | 50 | 70 | ND | Pass |
| Cyclohexane | 50 | 3880 | ND | Pass |
| Ethanol | 50 | 5000 | 528 | Pass |
| Ethyl acetate | 50 | 5000 | ND | Pass |
| Ethyl ether | 50 | 5000 | ND | Pass |
| Ethylbenzene | 12.5 | | ND | Pass |
| Ethylene glycol | 50 | 620 | ND | Pass |
| Ethylene oxide | 50 | 50 | ND | Pass |
| Heptane | 50 | 5000 | ND | Pass |
| Hexane | 10 | | ND | Pass |
| Isopropanol | 50 | 5000 | ND | Pass |
| Isopropyl acetate | 50 | 5000 | ND | Pass |
| Methanol | 50 | 3000 | ND | Pass |
| Methylene chloride | 50 | 600 | ND | Pass |
| Pentanes Total | 16.7 | 5000 | ND | Pass |
| Propane | 50 | 5000 | ND | Pass |
| Tetrahydrofuran | 50 | 720 | ND | Pass |
| Toluene | 50 | 890 | ND | Pass |
| Total xylenes | 25 | 2170 | ND | Pass |

| Mycotoxins by LCMSMS | Pass | | lycotoxins by LCMSMS Pass Date Completed: 03/28/2023 | | 03/28/2023 9:44 am |
|----------------------|------------|---------------|--|--------|--------------------|
| Compound | LOQ (µg/g) | Limits (µg/g) | Result (μg/g) | Status | |
| | | | | - | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy,

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007





4473 Cherry Valley Tpk Lafayette, NY 13084 cboland@ayrloom.com 315-420-9584

Sample #: 628

License #: OCM-AUCP-22-000007

Island Time UP Line Test

| lycotoxins by LCMSMS | Pass | 3 | Date Completed: 03/28/2023 9:44 an | |
|--|---|---------------|------------------------------------|--------|
| Compound | LOQ (μg/g) | Limits (µg/g) | Result (μg/g) | Status |
| Aflatoxin B1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin B2 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G1 | 0.005 | 0.020 | ND | Pass |
| Aflatoxin G2 | 0.005 | 0.020 | ND | Pass |
| Ochratoxin A | 0.005 | 0.020 | ND | Pass |
| Total Aflatoxin | 0.005 | 0.020 | ND | Pass |
| Comment: Mycotoxin contamination tested by LCMSMS usin | g P-NY125. Unless otherwise stated, all | QC passed. | | |

| Pass | 3 | Date Completed: 03/29/2023 8:50 pm | |
|------------|---------------|--|---|
| LOQ (µg/g) | Limits (µg/g) | Result (μg/g) | Status |
| | 120 | 0.0 | Pass |
| | 1.5 | 0.0 | Pass |
| | 0.5 | 0.0 | Pass |
| | 1100 | 0.0 | Pass |
| | 300 | 0.0 | Pass |
| | 0.5 | 0.0 | Pass |
| | 3 | 0.0 | Pass |
| | 20 | 0.0 | Pass |
| | | 120 1.5 0.5 1100 300 0.5 3 | LOQ (μg/g) Limits (μg/g) Result (μg/g) 120 0.0 1.5 0.0 0.5 0.0 1100 0.0 300 0.0 0.5 0.0 3 0.0 |

| Micro by Petri & qPCR | Pass | 3 | Date Completed: 03/27/2023 11:56 an | |
|-----------------------------------|-------------|----------------|-------------------------------------|--------|
| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
| Aspergillus flavus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus fumigatus Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus niger Qualitative | 0 | 0 | Not Detected | Pass |
| Aspergillus terreus Qualitative | 0 | 0 | Not Detected | Pass |
| | | | | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy,

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007

Kelly N Grealed



Gen V Labs, LLC

4473 Cherry Valley Tpk Lafayette, NY 13084 cboland@ayrloom.com 315-420-9584

License #: OCM-AUCP-22-000007

Certificate of Analysis

Final

Sample #: 628 Island Time UP Line Test

| licro by Petri & qPCR | Pass | • | Date Completed: 03/27/2023 11:56 ar | |
|--|-------------|----------------|---|--------|
| Compound | LOQ (CFU/g) | Limits (CFU/g) | Result (CFU/g) | Status |
| Salmonella Qualitative | 0 | 0 | Not Detected | Pass |
| Shiga Toxin-Producing E. coli Qualitative | 0 | 0 | Not Detected | Pass |
| Total Aerobic Bacteria | 10 | 10000 | ND | Pass |
| Total Yeast & Mold | 10 | 1000 | ND | Pass |
| Comment: Microbial contamination tested by Petrifilm plates and qF and "Detected" = "Presumptive Presence". Acceptance I | | | validation limitations: "Not Detected" = "Absent" | |

This product has been tested by KST using valid testing methodologies and a quality management system required by law. Values reported relate only to the product tested. KST makes no claim as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compound reported herein.

If sampled by Keystone State Testing, sampling followed SOP-P-NY500 at the client facility listed above.





Keystone State Testing of New York 1809 Vestal Pkwy E

Vestal, NY 13850 (607)301-0884 InfoNY@KeystoneStateTesting.com www.KeystoneStateTesting.com License #: OCM-PPCL-2022-00007 Kelly N Guela

