

Sample: 2304ACTNY0931.3031

Kimberly Krisolofsky Lead Technical Director 04/15/2023

Date



OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com

2 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY0931.3031

Strain: G0077 Pillow Talk 1:1 Batch#: 032724; Batch Size: g

Sample Received:

Report Created: 04/15/2023 09:19 pm

Sampling SOP 204-NY

G0077 Pillow Talk 1:1, Lot #:, Batch#: 032724

Ingestible, Soft Chew





4.567 mg/dose

Total THC

<LOO

Total CBD

8.944 mg/dose

Total Cannabinoids

Cannabinoids

Method SOP 801-NY Date/Time Tested: 04/06/2023 Complete

Analyte	LOQ	Weight %	Mass
	ug/mL	mg/g	mg/dose
CBDV	0.5	ND	ND
CBDa	0.5	ND	ND
CBG	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD	0.5	ND	ND
THCV	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBN	0.5	1.094	4.377
Δ9-THC	0.5	1.142	4.567
Δ8-THC	0.5	ND	ND
(6aR,9S)-d10-THC	0.5	ND	ND
(6aR,9R)-d10-THC	0.5	ND	ND
CBC	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
THCa	0.5	ND	ND
Total		2.236	8.944

Total THC = THCa \*  $0.877 + \Delta 8$ -THC +  $\Delta 9$ -THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC

Total CBD = CBDa \* 0.877 + CBD
Total Cannabinoids= Sum of all cannabinoids

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.

Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.







OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com

3 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY0931.3031

Strain: G0077 Pillow Talk 1:1 Batch#: 032724; Batch Size: g

Sample Received:

Report Created: 04/15/2023 09:19 pm

Sampling SOP 204-NY

G0077 Pillow Talk 1:1, Lot #:, Batch#: 032724

Ingestible, Soft Chew



**Pesticides** 

**SOP 814-NY** 

Date/Time Tested: 04/13/2023 1:24 AM

Analyte	Limit	LOQ	Mass	Status
	μg/g	µg/g	μg/g	
Abamectin	0.50	0.39	<loq< td=""><td>Pass</td></loq<>	Pass
Acephate	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Acequinocyl	2.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Acetamiprid	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Aldicarb	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Azadirachtin	1.00	0.08	<loq< td=""><td>Pass</td></loq<>	Pass
Azoxystrobin	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenazate	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenthrin	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Boscalid	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Captan	1.00		<loq< td=""><td>Pass</td></loq<>	Pass
Carbaryl	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Carbofuran	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorantraniliprole	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlordane	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorfenapyr	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlormequat chloride	1.00		<loq< td=""><td>Pass</td></loq<>	Pass
Chlorpyrifos	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Clofentezine	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Coumaphos	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Cyfluthrin	1.00	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Cypermethrin	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Daminozide	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Diazinon	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Dichlorvos	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.







OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com

4 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY0931.3031

Strain: G0077 Pillow Talk 1:1 Batch#: 032724; Batch Size: g

Sample Received:

Report Created: 04/15/2023 09:19 pm

Sampling SOP 204-NY

G0077 Pillow Talk 1:1, Lot #:, Batch#: 032724

Ingestible, Soft Chew



**Pesticides** 

**SOP 814-NY** 

Date/Time Tested: 04/13/2023 1:24 AM

Analyte	Limit	LOQ	Mass	Status
	μg/g	µg/g	μg/g	
Dimethoate	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Dimethomorph	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Ethoprophos	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Etofenprox	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Etoxazole	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fenhexamid	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fenoxycarb	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fenpyroximate	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fipronil	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Flonicamid	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fludioxonil	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Hexythiazox	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Imazalil	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Imidacloprid	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Indolebutyric Acid	1.00	0.08	<loq< td=""><td>Pass</td></loq<>	Pass
Kresoxim Methyl	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Malathion	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Metalaxyl	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Methiocarb	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Methomyl	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Methyl Parathion	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Mevinphos	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
MGK-264	0.20		<loq< td=""><td>Pass</td></loq<>	Pass
Myclobutanil	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Naled	0.50	0.10	<loq< td=""><td>Pass</td></loq<>	Pass

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.







OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com

5 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY0931.3031

Strain: G0077 Pillow Talk 1:1 Batch#: 032724; Batch Size: g

Sample Received:

Report Created: 04/15/2023 09:19 pm

Sampling SOP 204-NY

G0077 Pillow Talk 1:1, Lot #:, Batch#: 032724

Ingestible, Soft Chew



**Pesticides** 

**SOP 814-NY** 

Date/Time Tested: 04/13/2023 1:24 AM

Analyte	Limit	LOQ	Mass	Status
	μg/g	µg/g	μg/g	
Oxamyl	1.00	0.10	<loq< th=""><th>Pass</th></loq<>	Pass
Paclobutrazol	0.40	0.10	<loq< th=""><th>Pass</th></loq<>	Pass
Pentachloronitrobenzene	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Permethrins [M+NH4] Total	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Phosmet	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Piperonyl Butoxide	2.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Prallethrin	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Propiconazole	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Propoxur	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Pyrethrins Total	1.00	0.07	<loq< td=""><td>Pass</td></loq<>	Pass
Pyridaben	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spinetoram Total	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spinosad Total	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spiromesifen	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spirotetramat	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spiroxamine	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Tebuconazole	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Thiacloprid	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Thiamethoxam	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Trifloxystrobin	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.







OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com

6 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY0931.3031

Strain: G0077 Pillow Talk 1:1 Batch#: 032724; Batch Size: g

Sample Received:

♦SOP 401-NY

Report Created: 04/15/2023 09:19 pm

**♦SOP 619-NY** 

Sampling SOP 204-NY

G0077 Pillow Talk 1:1, Lot #:, Batch#: 032724

Ingestible, Soft Chew



#### Microbials

Date/Time Tested: 04/07/2023

Analyte	Limit	Units	Status
	CFU/g	CFU/g	_
Total Viable Aerobic Bacteria (3M)	10000	Absent	Pass
Total Yeast & Mold (3M)	1000	Absent	Pass
STEC E. Coli (PDx)	Absent	Absent	Pass
Aspergillus Species (PDx)	Absent	Absent	Pass
Salmonella Species (PDx)	Absent	Absent	Pass

Notes:

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ELAP Methods LEB 603, LEB 604, LEB 605, LEB 606, LEB 607, LEB 609, LEB 610, LEB 611, LEB 612, LEB 613, and LEB 618







OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com

7 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY0931.3031

Strain: G0077 Pillow Talk 1:1 Batch#: 032724; Batch Size: g

Sample Received:

Report Created: 04/15/2023 09:19 pm

Sampling SOP 204-NY

G0077 Pillow Talk 1:1, Lot #:, Batch#: 032724

Ingestible, Soft Chew



**Heavy Metals** 

**SOP 250-NY** 

Date/Time Tested: 04/06/2023

Analyte	Limit	LOQ	Mass	Status
	μg/g	μg/g	μg/g	_
Antimony	120	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Arsenic	1.5	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	0.5	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Chromium	1100	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Copper	300	0.240	0.573	Pass
Lead	0.5	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Mercury	3	0.048	<loq< td=""><td>Pass</td></loq<>	Pass
Nickel	20	0.240	<loq< td=""><td>Pass</td></loq<>	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ELAP Method NYS DOH LINC-250.







OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612

actlaboratoriesinc.com 8 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623 Sample: 2304ACTNY0931.3031

Strain: G0077 Pillow Talk 1:1 Batch#: 032724; Batch Size: g

Sample Received:

Report Created: 04/15/2023 09:19 pm

Sampling SOP 204-NY

G0077 Pillow Talk 1:1, Lot #:, Batch#: 032724

Ingestible, Soft Chew



Mycotoxins

**SOP 303-NY** 

Date/Time Tested: 04/05/2023

Analyte	Mass	Limit	LOQ	Status
	ng/g	ng/g	ng/g	_
Ochratoxin A	Absent	20	4.2	Pass
Total Aflatoxins	Absent	20	4.2	Pass

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ELAP Method NYS DOH MML-303.







OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 9 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623 Sample: 2304ACTNY0931.3031

Strain: G0077 Pillow Talk 1:1 Batch#: 032724; Batch Size: g

Sample Received:

Report Created: 04/15/2023 09:19 pm

Sampling SOP 204-NY

G0077 Pillow Talk 1:1, Lot #: , Batch#: 032724

Ingestible, Soft Chew



### Moisture/Water Activity

**♦**SOP 205-NY, **♦**SOP 206-NY

Water Activity Date/Time Tested: 04/05/2023

0.72 aw

0.85 Limit

Pass
Water Activity

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory



