

Sample: 2304ACTNY0932.3037

Kimberly Kisolofsbe

04/28/2023

Kimberly Krisolofsky Lead Technical Director Date



OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 2 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY0932.3037

Strain: G0078 Pillow Talk 1:1 Batch#: 032824 Sample Received: 04/03/2023 12:00 PM Report Created: 04/28/2023 03:00 pm Sampling SOP 204-NY



G0078 Pillow Talk 1:1

Ingestible, Soft Chew

4.280 mg/dose	<loq< th=""><th>8.384 mg/dose</th></loq<>	8.384 mg/dose
Total THC	Total CBD	Total Cannabinoids

Cannabinoids

Method SOP 801-NY Date/Time Tested: 04/06/2023 4:46 PM

Analyte	LOQ	Weight %	Mass
	ug/mL	mg/g	mg/dose
CBDV	0.5	ND	ND
CBDa	0.5	ND	ND
CBG	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD	0.5	ND	ND
THCV	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBN	0.5	1.026	4.104
Δ9-THC	0.5	1.070	4.280
Δ8-THC	0.5	ND	ND
(6aR,9S)-d10-THC	0.5	ND	ND
(6aR,9R)-d10-THC	0.5	ND	ND
CBC	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
THCa	0.5	ND	ND
Total		2.096	8.384

Notes: Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC

Total CBD = CBDa * 0.877 + CBD Total Cannabinoids= Sum of all cannabinoids

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.

Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Complete



OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 3 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0078 Pillow Talk 1:1

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 04/13/2023 1:39 AM

Sample: 2304ACTNY0932.3037

Strain: G0078 Pillow Talk 1:1 Batch#: 032824 Sample Received: 04/03/2023 12:00 PM Report Created: 04/28/2023 03:00 pm Sampling SOP 204-NY



Pass

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Abamectin	0.50	0.39	<loq< td=""><td>Pass</td></loq<>	Pass
Acephate	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Acequinocyl	2.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Acetamiprid	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Aldicarb	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Azadirachtin	1.00	0.08	<loq< td=""><td>Pass</td></loq<>	Pass
Azoxystrobin	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenazate	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Bifenthrin	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Boscalid	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Captan	1.00		<loq< td=""><td>Pass</td></loq<>	Pass
Carbaryl	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Carbofuran	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorantraniliprole	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlordane	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorfenapyr	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Chlormequat chloride	1.00		<loq< td=""><td>Pass</td></loq<>	Pass
Chlorpyrifos	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Clofentezine	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Coumaphos	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Cyfluthrin	1.00	0.50	<loq< td=""><td>Pass</td></loq<>	Pass
Cypermethrin	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Daminozide	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Diazinon	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Dichlorvos	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 4 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0078 Pillow Talk 1:1

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 04/13/2023 1:39 AM

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Dimethoate	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Dimethomorph	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Ethoprophos	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Etofenprox	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Etoxazole	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fenhexamid	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fenoxycarb	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fenpyroximate	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fipronil	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Flonicamid	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Fludioxonil	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Hexythiazox	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Imazalil	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Imidacloprid	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Indolebutyric Acid	1.00	0.08	<loq< td=""><td>Pass</td></loq<>	Pass
Kresoxim Methyl	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Malathion	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Metalaxyl	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Methiocarb	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Methomyl	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Methyl Parathion	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Mevinphos	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
MGK-264	0.20		<loq< td=""><td>Pass</td></loq<>	Pass
Myclobutanil	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Naled	0.50	0.10	<loq< td=""><td>Pass</td></loq<>	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Sample: 2304ACTNY0932.3037

Strain: G0078 Pillow Talk 1:1 Batch#: 032824 Sample Received: 04/03/2023 12:00 PM Report Created: 04/28/2023 03:00 pm Sampling SOP 204-NY



Pass



OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 5 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0078 Pillow Talk 1:1

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 04/13/2023 1:39 AM

S

Strain: G0078 Pillow Talk 1:1 Batch#: 032824 Sample Received: 04/03/2023 12:00 PM Report Created: 04/28/2023 03:00 pm Sampling SOP 204-NY

Sample: 2304ACTNY0932.3037



Pass

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Oxamyl	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Paclobutrazol	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Pentachloronitrobenzene	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Permethrins [M+NH4] Total	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Phosmet	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Piperonyl Butoxide	2.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Prallethrin	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Propiconazole	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Propoxur	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Pyrethrins Total	1.00	0.07	<loq< td=""><td>Pass</td></loq<>	Pass
Pyridaben	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spinetoram Total	1.00	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spinosad Total	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spiromesifen	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spirotetramat	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Spiroxamine	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Tebuconazole	0.40	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Thiacloprid	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Thiamethoxam	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass
Trifloxystrobin	0.20	0.10	<loq< td=""><td>Pass</td></loq<>	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 6 of 9 actlaboratoriesinc.com

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY0932.3037

Strain: G0078 Pillow Talk 1:1 Batch#: 032824 Sample Received: 04/03/2023 12:00 PM Report Created: 04/28/2023 03:00 pm Sampling SOP 204-NY



G0078 Pillow Talk 1:1

Ingestible, Soft Chew

Microbials

Date/Time Tested: 04/07/2023

♦SOP 401-NY ♦SOP 619-NY

Analyte	Limit	Units	Status
	CFU/g	CFU/g	
Total Viable Aerobic Bacteria (3M)	10000	Absent	Pass
Total Yeast & Mold (3M)	1000	Absent	Pass
STEC E. Coli (PDx)	Absent	Absent	Pass
Aspergillus Species (PDx)	Absent	Absent	Pass
Salmonella Species (PDx)	Absent	Absent	Pass

Notes:

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ELAP Methods LEB 603, LEB 604, LEB 605, LEB 606, LEB 607, LEB 608, LEB 609, LEB 610, LEB 611, LEB 612, LEB 613, and LEB 618



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 7 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0078 Pillow Talk 1:1

Sample: 2304ACTNY0932.3037

Strain: G0078 Pillow Talk 1:1 Batch#: 032824 Sample Received: 04/03/2023 12:00 PM Report Created: 04/28/2023 03:00 pm Sampling SOP 204-NY



Pass

Heavy Metals

Ingestible, Soft Chew

SOP 250-NY Date/Time Tested: 04/06/2023

Analyte	Limit	LOQ	Mass	Status
	μg/g	µg/g	µg/g	
Antimony	120	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Arsenic	1.5	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	0.5	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Chromium	1100	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Copper	300	0.240	0.575	Pass
Lead	0.5	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Mercury	3	0.048	<loq< td=""><td>Pass</td></loq<>	Pass
Nickel	20	0.240	<loq< td=""><td>Pass</td></loq<>	Pass

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ELAP Method NYS DOH LINC-250.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 8 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0078 Pillow Talk 1:1

Sample: 2304ACTNY0932.3037

Strain: G0078 Pillow Talk 1:1 Batch#: 032824 Sample Received: 04/03/2023 12:00 PM Report Created: 04/28/2023 03:00 pm Sampling SOP 204-NY

Pass

Mycotoxins SOP 303-NY

Ingestible, Soft Chew

SOP 303-NY Date/Time Tested: 04/05/2023

Analyte	Mass	Limit	LOQ	Status
	ng/g	ng/g	ng/g	
Ochratoxin A	Absent	20	4.2	Pass
Total Aflatoxins	Absent	20	4.2	Pass

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. ELAP Method NYS DOH MML-303.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 9 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0078 Pillow Talk 1:1

Ingestible. Soft Chew

Moisture/Water Activity

◆SOP 205-NY, ◆SOP 206-NY Water Activity Date/Time Tested: 04/05/2023

Sample: 2304ACTNY0932.3037

Strain: G0078 Pillow Talk 1:1 Batch#: 032824 Sample Received: 04/03/2023 12:00 PM Report Created: 04/28/2023 03:00 pm Sampling SOP 204-NY



0.73 aw

0.85 Limit

Pass Water Activity

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com

