

Sample: 2304ACTNY1126.3546

Kimberly Kisolofsbe

Kimberly Krisolofsky Lead Technical Director 05/01/2023

Date



OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 2 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2304ACTNY1126.3546

Strain: G0086 Island Time Batch#: 040624 Sample Received: 04/14/2023 12:00 Report Created: 05/01/2023 04:42 pm Sampling SOP 204-NY



G0086 Island Time

Ingestible, Soft Chew

5.386 mg/dose	5.318 mg/dose	10.704 mg/dose	
Total THC	Total CBD	Total Cannabinoids	

Cannabinoids

Method SOP 801-NY Date/Time Tested: 04/23/2023 17:36

Analyte	LOQ	Weight %	Mass
	ug/mL	mg/g	mg/dose
CBDV	0.5	ND	ND
CBDa	0.5	ND	ND
CBG	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBD	0.5	1.329	5.318
THCV	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBN	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
Δ9-THC	0.5	1.347	5.386
Δ8-THC	0.5	ND	ND
(6aR,9S)-d10-THC	0.5	ND	ND
(6aR,9R)-d10-THC	0.5	ND	ND
CBC	0.5	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
THCa	0.5	ND	ND
Total		2.676	10.704

Notes: Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids= Sum of all cannabinoidsLOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Complete



OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 3 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0086 Island Time

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 04/24/2023 7:50 PM

Sample: 2304ACTNY1126.3546

Strain: G0086 Island Time Batch#: 040624 Sample Received: 04/14/2023 12:00 Report Created: 05/01/2023 04:42 pm Sampling SOP 204-NY



Complete

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Abamectin	0.50	0.39	NR	NT
Acephate	0.40	0.10	NR	NT
Acequinocyl	2.00	0.10	NR	NT
Acetamiprid	0.20	0.10	NR	NT
Aldicarb	0.40	0.10	NR	NT
Azadirachtin	1.00	0.08	NR	NT
Azoxystrobin	0.20	0.10	NR	NT
Bifenazate	0.20	0.10	NR	NT
Bifenthrin	0.20	0.10	NR	NT
Boscalid	0.40	0.10	NR	NT
Captan	1.00		NR	NT
Carbaryl	0.20	0.10	NR	NT
Carbofuran	0.20	0.10	NR	NT
Chlorantraniliprole	0.20	0.10	NR	NT
Chlordane	1.00	0.10	NR	NT
Chlorfenapyr	1.00	0.10	NR	NT
Chlormequat chloride	1.00		NR	NT
Chlorpyrifos	0.20	0.10	NR	NT
Clofentezine	0.20	0.10	NR	NT
Coumaphos	1.00	0.10	NR	NT
Cyfluthrin	1.00	0.50	NR	NT
Cypermethrin	1.00	0.10	NR	NT
Daminozide	1.00	0.10	NR	NT
Diazinon	0.20	0.10	NR	NT
Dichlorvos	1.00	0.10	NR	NT

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 4 of 9

Sample Received: 04/14/2023 12:00

Report Created: 05/01/2023 04:42 pm

Strain: G0086 Island Time

Sampling SOP 204-NY

Batch#: 040624

Sample: 2304ACTNY1126.3546

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0086 Island Time

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 04/24/2023 7:50 PM

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Dimethoate	0.20	0.10	NR	NT
Dimethomorph	1.00	0.10	NR	NT
Ethoprophos	0.20	0.10	NR	NT
Etofenprox	0.40	0.10	NR	NT
Etoxazole	0.20	0.10	NR	NT
Fenhexamid	1.00	0.10	NR	NT
Fenoxycarb	0.20	0.10	NR	NT
Fenpyroximate	0.40	0.10	NR	NT
Fipronil	0.40	0.10	NR	NT
Flonicamid	1.00	0.10	NR	NT
Fludioxonil	0.40	0.10	NR	NT
Hexythiazox	1.00	0.10	NR	NT
Imazalil	0.20	0.10	NR	NT
Imidacloprid	0.40	0.10	NR	NT
Indolebutyric Acid	1.00	0.08	NR	NT
Kresoxim Methyl	0.40	0.10	NR	NT
Malathion	0.20	0.10	NR	NT
Metalaxyl	0.20	0.10	NR	NT
Methiocarb	0.20	0.10	NR	NT
Methomyl	0.40	0.10	NR	NT
Methyl Parathion	0.20	0.10	NR	NT
Mevinphos	1.00	0.10	NR	NT
MGK-264	0.20		NR	NT
Myclobutanil	0.20	0.10	NR	NT
Naled	0.50	0.10	NR	NT

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Complete



OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 5 of 9

Sample Received: 04/14/2023 12:00

Status

Mass

Report Created: 05/01/2023 04:42 pm

Strain: G0086 Island Time

Sampling SOP 204-NY

Sample: 2304ACTNY1126.3546

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0086 Island Time

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 04/24/2023 7:50 PM

Analyte

IPM Limit LOQ μg/g μg/g

		== -		
	µg/g	µg/g	µg/g	
Oxamyl	1.00	0.10	NR	NT
Paclobutrazol	0.40	0.10	NR	NT
Pentachloronitrobenzene	1.00	0.10	NR	NT
Permethrins [M+NH4] Total	0.20	0.10	NR	NT
Phosmet	0.20	0.10	NR	NT
Piperonyl Butoxide	2.00	0.10	NR	NT
Prallethrin	0.20	0.10	NR	NT
Propiconazole	0.40	0.10	NR	NT
Propoxur	0.20	0.10	NR	NT
Pyrethrins Total	1.00	0.07	NR	NT
Pyridaben	0.20	0.10	NR	NT
Spinetoram Total	1.00	0.10	NR	NT
Spinosad Total	0.20	0.10	NR	NT
Spiromesifen	0.20	0.10	NR	NT
Spirotetramat	0.20	0.10	NR	NT
Spiroxamine	0.20	0.10	NR	NT
Tebuconazole	0.40	0.10	NR	NT
Thiacloprid	0.20	0.10	NR	NT
Thiamethoxam	0.20	0.10	NR	NT
Trifloxystrobin	0.20	0.10	NR	NT

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Complete

Batch#: 040624



OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 6 of 9 actlaboratoriesinc.com

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0086 Island Time

Ingestible, Soft Chew

Microbials

Date/Time Tested: 04/18/2023 1500

Salmonella Species (PDx)

Sample: 2304ACTNY1126.3546

Strain: G0086 Island Time Batch#: 040624 Sample Received: 04/14/2023 12:00 Report Created: 05/01/2023 04:42 pm Sampling SOP 204-NY

Pass



♦SOP 401-NY ♦SOP 619-NY

Absent

Analyte	Limit	Units	Status
	CFU/g	CFU/g	
Total Viable Aerobic Bacteria (3M)	10000	Absent	Pass
Total Yeast & Mold (3M)	1000	Absent	Pass
STEC E. Coli (PDx)	Absent	Absent	Pass
Aspergillus Species (PDx)	Absent	Absent	Pass

Absent

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 7 of 9 actlaboratoriesinc.com

Gen V Labs, LLC

4473 Cherry Valley Turnpike

Sample: 2304ACTNY1126.3546

Strain: G0086 Island Time Batch#: 040624 Sample Received: 04/14/2023 12:00 Report Created: 05/01/2023 04:42 pm Sampling SOP 204-NY



Pass

Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0086 Island Time

Ingestible, Soft Chew

Heavy Metals

Date/Time Tested: 04/24/2023

Analyte	Limit	LOQ	Mass	Status
	μg/g	µg/g	µg/g	
Antimony	120	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Arsenic	1.5	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	0.5	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Chromium	1100	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Copper	300	0.240	0.903	Pass
Lead	0.5	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Mercury	3	0.048	<loq< td=""><td>Pass</td></loq<>	Pass
Nickel	20	0.240	<loq< td=""><td>Pass</td></loq<>	Pass

Notes: LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 8 of 9 actlaboratoriesinc.com

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0086 Island Time

Sample: 2304ACTNY1126.3546

Strain: G0086 Island Time Batch#: 040624 Sample Received: 04/14/2023 12:00 Report Created: 05/01/2023 04:42 pm Sampling SOP 204-NY



Pass

Ingestible, Soft Chew

Mycotoxins SOP 303-NY Date/Time Tested: 04/26/2023

Analyte	Mass	Limit	LOQ	Status
	ng/g	ng/g	ng/g	
Ochratoxin A	Absent	20	4.2	Pass
Total Aflatoxins	Absent	20	4.2	Pass

Notes: LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com





OCM-PPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 9 of 9

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

G0086 Island Time

Ingestible, Soft Chew

Moisture/Water Activity

◆SOP 205-NY, ◆SOP 206-NY Water Activity Date/Time Tested: 04/30/2023 14:11

Sample: 2304ACTNY1126.3546

Strain: G0086 Island Time Batch#: 040624 Sample Received: 04/14/2023 12:00 Report Created: 05/01/2023 04:42 pm Sampling SOP 204-NY



0.68 aw

0.85 Limit

Pass Water Activity

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com

