



Certificate of Analysis

Sample: 2304ACTNY1125.3540

A handwritten signature in black ink that reads 'Kimberly Krisolofsky'.

Kimberly Krisolofsky
Lead Technical Director

05/01/2023

Date


Gen V Labs, LLC
 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2304ACTNY1125.3540

Strain: G0089 Island Time
 Batch#: 041024
 Sample Received: 04/14/2023 12:00
 Report Created: 05/01/2023 04:41 pm
 Sampling SOP 204-NY

G0089 Island Time
 Ingestible, Soft Chew



	<p>5.188 mg/dose</p> <p>Total THC</p>	<p>5.132 mg/dose</p> <p>Total CBD</p>	<p>10.320 mg/dose</p> <p>Total Cannabinoids</p>
---	--	--	--

Cannabinoids

Complete

Method SOP 801-NY
 Date/Time Tested: 04/23/2023 17:36

Analyte	LOQ	Weight %	Mass
	ug/mL	mg/g	mg/dose
CBDV	0.5	<LOQ	<LOQ
CBDa	0.5	ND	ND
CBG	0.5	<LOQ	<LOQ
CBD	0.5	1.283	5.132
THCV	0.5	<LOQ	<LOQ
CBN	0.5	<LOQ	<LOQ
Δ9-THC	0.5	1.297	5.188
Δ8-THC	0.5	ND	ND
(6aR,9S)-d10-THC	0.5	ND	ND
(6aR,9R)-d10-THC	0.5	ND	ND
CBC	0.5	<LOQ	<LOQ
THCa	0.5	ND	ND
Total		2.580	10.320

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements.



Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. † indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2304ACTNY1125.3540

 Strain: G0089 Island Time
 Batch#: 041024
 Sample Received: 04/14/2023 12:00
 Report Created: 05/01/2023 04:41 pm
 Sampling SOP 204-NY

G0089 Island Time

Ingestible, Soft Chew



Pesticides

 SOP 814-NY
 Date/Time Tested: 04/24/2023 7:50 PM

Complete

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Abamectin	0.50	0.39	NR	NT
Acephate	0.40	0.10	NR	NT
Acequinocyl	2.00	0.10	NR	NT
Acetamiprid	0.20	0.10	NR	NT
Aldicarb	0.40	0.10	NR	NT
Azadirachtin	1.00	0.08	NR	NT
Azoxystrobin	0.20	0.10	NR	NT
Bifenazate	0.20	0.10	NR	NT
Bifenthrin	0.20	0.10	NR	NT
Boscalid	0.40	0.10	NR	NT
Captan	1.00		NR	NT
Carbaryl	0.20	0.10	NR	NT
Carbofuran	0.20	0.10	NR	NT
Chlorantraniliprole	0.20	0.10	NR	NT
Chlordane	1.00	0.10	NR	NT
Chlorfenapyr	1.00	0.10	NR	NT
Chloromequat chloride	1.00		NR	NT
Chlorpyrifos	0.20	0.10	NR	NT
Clofentezine	0.20	0.10	NR	NT
Coumaphos	1.00	0.10	NR	NT
Cyfluthrin	1.00	0.50	NR	NT
Cypermethrin	1.00	0.10	NR	NT
Daminozide	1.00	0.10	NR	NT
Diazinon	0.20	0.10	NR	NT
Dichlorvos	1.00	0.10	NR	NT

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


* indicates a subcontracted result. † indicates a result not regulated by OCM. ‡ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2304ACTNY1125.3540

Strain: G0089 Island Time
 Batch#: 041024
 Sample Received: 04/14/2023 12:00
 Report Created: 05/01/2023 04:41 pm
 Sampling SOP 204-NY

G0089 Island Time

Ingestible, Soft Chew



Pesticides

SOP 814-NY
 Date/Time Tested: 04/24/2023 7:50 PM

Complete

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Dimethoate	0.20	0.10	NR	NT
Dimethomorph	1.00	0.10	NR	NT
Ethoprophos	0.20	0.10	NR	NT
Etofenprox	0.40	0.10	NR	NT
Etoxazole	0.20	0.10	NR	NT
Fenhexamid	1.00	0.10	NR	NT
Fenoxycarb	0.20	0.10	NR	NT
Fenpyroximate	0.40	0.10	NR	NT
Fipronil	0.40	0.10	NR	NT
Flonicamid	1.00	0.10	NR	NT
Fludioxonil	0.40	0.10	NR	NT
Hexythiazox	1.00	0.10	NR	NT
Imazalil	0.20	0.10	NR	NT
Imidacloprid	0.40	0.10	NR	NT
Indolebutyric Acid	1.00	0.08	NR	NT
Kresoxim Methyl	0.40	0.10	NR	NT
Malathion	0.20	0.10	NR	NT
Metalaxyl	0.20	0.10	NR	NT
Methiocarb	0.20	0.10	NR	NT
Methomyl	0.40	0.10	NR	NT
Methyl Parathion	0.20	0.10	NR	NT
Mevinphos	1.00	0.10	NR	NT
MGK-264	0.20		NR	NT
Myclobutanil	0.20	0.10	NR	NT
Naled	0.50	0.10	NR	NT

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.



Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ‡ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2304ACTNY1125.3540

 Strain: G0089 Island Time
 Batch#: 041024
 Sample Received: 04/14/2023 12:00
 Report Created: 05/01/2023 04:41 pm
 Sampling SOP 204-NY

G0089 Island Time

Ingestible, Soft Chew



Pesticides

 SOP 814-NY
 Date/Time Tested: 04/24/2023 7:50 PM

Complete

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Oxamyl	1.00	0.10	NR	NT
Paclobutrazol	0.40	0.10	NR	NT
Pentachloronitrobenzene	1.00	0.10	NR	NT
Permethrins [M+NH4] Total	0.20	0.10	NR	NT
Phosmet	0.20	0.10	NR	NT
Piperonyl Butoxide	2.00	0.10	NR	NT
Prallethrin	0.20	0.10	NR	NT
Propiconazole	0.40	0.10	NR	NT
Propoxur	0.20	0.10	NR	NT
Pyrethrins Total	1.00	0.07	NR	NT
Pyridaben	0.20	0.10	NR	NT
Spinetoram Total	1.00	0.10	NR	NT
Spinosad Total	0.20	0.10	NR	NT
Spiromesifen	0.20	0.10	NR	NT
Spirotetramat	0.20	0.10	NR	NT
Spiroxamine	0.20	0.10	NR	NT
Tebuconazole	0.40	0.10	NR	NT
Thiacloprid	0.20	0.10	NR	NT
Thiamethoxam	0.20	0.10	NR	NT
Trifloxystrobin	0.20	0.10	NR	NT

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2304ACTNY1125.3540

Strain: G0089 Island Time
Batch#: 041024
Sample Received: 04/14/2023 12:00
Report Created: 05/01/2023 04:41 pm
Sampling SOP 204-NY

G0089 Island Time

Ingestible, Soft Chew



Microbials

Date/Time Tested: 04/18/2023 1500

◆SOP 401-NY ◆SOP 619-NY

Analyte	Limit	Units	Status
Total Viable Aerobic Bacteria (3M)	10000	CFU/g	Pass
Total Yeast & Mold (3M)	1000	CFU/g	Pass
STEC E. Coli (PDx)	Absent	Absent	Pass
Aspergillus Species (PDx)	Absent	Absent	Pass
Salmonella Species (PDx)	Absent	Absent	Pass

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC
 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2304ACTNY1125.3540

Strain: G0089 Island Time
 Batch#: 041024
 Sample Received: 04/14/2023 12:00
 Report Created: 05/01/2023 04:41 pm
 Sampling SOP 204-NY

G0089 Island Time
 Ingestible, Soft Chew



Heavy Metals

Pass

SOP 250-NY
 Date/Time Tested: 04/24/2023

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Antimony	120	0.240	<LOQ	Pass
Arsenic	1.5	0.200	<LOQ	Pass
Cadmium	0.5	0.200	<LOQ	Pass
Chromium	1100	0.240	<LOQ	Pass
Copper	300	0.240	0.440	Pass
Lead	0.5	0.240	<LOQ	Pass
Mercury	3	0.048	<LOQ	Pass
Nickel	20	0.240	<LOQ	Pass

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.



Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC
4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2304ACTNY1125.3540

Strain: G0089 Island Time
Batch#: 041024
Sample Received: 04/14/2023 12:00
Report Created: 05/01/2023 04:41 pm
Sampling SOP 204-NY

G0089 Island Time
Ingestible, Soft Chew



Mycotoxins

Pass

SOP 303-NY
Date/Time Tested: 04/26/2023

Analyte	Mass	Limit	LOQ	Status
Ochratoxin A	ng/g Absent	ng/g 20	ng/g 4.2	Pass
Total Aflatoxins	ng/g Absent	ng/g 20	ng/g 4.2	Pass

Notes:
LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO 17025:2016 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2304ACTNY1125.3540

Strain: G0089 Island Time
Batch#: 041024
Sample Received: 04/14/2023 12:00
Report Created: 05/01/2023 04:41 pm
Sampling SOP 204-NY

G0089 Island Time

Ingestible, Soft Chew



Moisture/Water Activity

♦SOP 205-NY, ♦SOP 206-NY

Water Activity Date/Time Tested: 04/30/2023 14:05

0.72 aw
0.85 Limit
Pass
Water Activity

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not ReportedConfident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com