

Certificate of Analysis

Sample: 2307ACTNY2019.5621

Kimberly Kisolofs be

Kimberly Krisolofsky Lead Technical Director 07/25/2023

Date



Certificate of Analysis

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 2 of 10

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623


Sample: 2307ACTNY2019.5621

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew





Cannabinoids

Method SOP 801-NY Date/Time Tested: 07/17/2023 16:47

Analyte	LOQ		
<u>,</u> ,	ug/mL	mg/g	mg/dose
CBDV	0.50	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBDa	0.50	ND	ND
CBG	0.50	0.06	0.26
CBD	0.50	1.37	5.47
THCV	0.50	<loq< td=""><td><loq< td=""></loq<></td></loq<>	<loq< td=""></loq<>
CBN	0.50	0.04	0.16
Δ9-THC	0.50	2.57	10.26
Δ8-THC	0.50	ND	ND
(6aR,9S)-d10-THC	0.50	ND	ND
(6aR,9R)-d10-THC	0.50	ND	ND
CBC	0.50	0.04	0.16
THCa	0.50	ND	ND
Total		4.08	16.31

Notes:

Total THC = THCa * $0.877 + \Delta 8$ -THC + $\Delta 9$ -THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THCTotal CBD = CBDa * 0.877 + CBDTotal Cannabinoids = Sum of all cannabinoidsLOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements.

ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. • indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Complete



Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 3 of 10

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2307ACTNY2019.5621

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew

Residual Solvents

SOP 612-NY Date/Time Tested: 07/18/2023 17:03

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,1,1-Trichloro-Ethane		1500	ND	Pass
1,2-Dichloro-Ethane	2	5	ND	Pass
Acetone	4	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Acetonitrile	2	410	ND	Pass
Benzene	2	2	ND	Pass
Butanes	40	5000	ND	Pass
Chloroform	2	60	ND	Pass
Dichloromethane	2	600	ND	Pass
Dimethyl Sulfoxide		5000	ND	Pass
Ethanol	20	5000	1176	Pass
Ethyl-Acetate	20	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl-Ether	20	5000	ND	Pass
Heptane	20	5000	ND	Pass
Hexanes	6	290	ND	Pass
Isopropanol	20	5000	ND	Pass
Methanol	12	3000	ND	Pass
Pentanes	60	5000	ND	Pass
Propane	20	5000	ND	Pass
Toluene	4	890	ND	Pass
Xylenes	26	2170	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. + indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.



Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 4 of 10

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2307ACTNY2019.5621

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 07/17/2023 18:38

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Abamectin	0.50	0.39	ND	Pass
Acephate	0.40	0.10	ND	Pass
Acequinocyl	2.00	0.10	ND	Pass
Acetamiprid	0.20	0.10	ND	Pass
Aldicarb	0.40	0.10	ND	Pass
Azadirachtin	1.00	0.08	ND	Pass
Azoxystrobin	0.20	0.10	ND	Pass
Bifenazate	0.20	0.10	ND	Pass
Bifenthrin	0.20	0.10	ND	Pass
Boscalid	0.40	0.10	ND	Pass
Captan	1.00		TIC	Pass
Carbaryl	0.20	0.10	ND	Pass
Carbofuran	0.20	0.10	ND	Pass
Chlorantraniliprole	0.20	0.10	ND	Pass
Chlordane	1.00	0.10	ND	Pass
Chlorfenapyr	1.00	0.10	ND	Pass
Chlormequat chloride	1.00		TIC	Pass
Chlorpyrifos	0.20	0.10	ND	Pass
Clofentezine	0.20	0.10	ND	Pass
Coumaphos	1.00	0.10	ND	Pass
Cyfluthrin	1.00	0.50	ND	Pass
Cypermethrin	1.00	0.10	ND	Pass
Daminozide	1.00	0.10	ND	Pass
Diazinon	0.20	0.10	ND	Pass
Dichlorvos	1.00	0.10	ND	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. + indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 5 of 10

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2307ACTNY2019.5621

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 07/17/2023 18:38

μg/g μg/g μg/g Dimethoate 0.20 0.10 Dimethomorph 1.00 0.10	μg/g ND ND ND ND	Pass Pass Pass
Dimethomorph 1.00 0.10	ND ND	Pass
	ND	
		Pass
Ethoprophos 0.20 0.10	ND	
Etofenprox 0.40 0.10		Pass
Etoxazole 0.20 0.10	ND	Pass
Fenhexamid 1.00 0.10	ND	Pass
Fenoxycarb 0.20 0.10	ND	Pass
Fenpyroximate 0.40 0.10	ND	Pass
Fipronil 0.40 0.10	ND	Pass
Flonicamid 1.00 0.10	ND	Pass
Fludioxonil 0.40 0.10	ND	Pass
Hexythiazox 1.00 0.10	ND	Pass
Imazalil 0.20 0.10	ND	Pass
Imidacloprid 0.40 0.10	ND	Pass
Indolebutyric Acid 1.00 0.08	ND	Pass
Kresoxim Methyl 0.40 0.10	ND	Pass
Malathion 0.20 0.10	ND	Pass
Metalaxyl 0.20 0.10	ND	Pass
Methiocarb 0.20 0.10	ND	Pass
Methomyl 0.40 0.10	ND	Pass
Methyl Parathion 0.20 0.10	ND	Pass
Mevinphos 1.00 0.10	ND	Pass
MGK-264 0.20	TIC	Pass
Myclobutanil 0.20 0.10	ND	Pass
Naled 0.50 0.10	ND	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. + indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 6 of 10

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2307ACTNY2019.5621

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew

Pesticides

SOP 814-NY Date/Time Tested: 07/17/2023 18:38

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Oxamyl	1.00	0.10	ND	Pass
Paclobutrazol	0.40	0.10	ND	Pass
Pentachloronitrobenzene	1.00	0.10	ND	Pass
Permethrins [M+NH4] Total	0.20	0.10	ND	Pass
Phosmet	0.20	0.10	ND	Pass
Piperonyl Butoxide	2.00	0.10	ND	Pass
Prallethrin	0.20	0.10	ND	Pass
Propiconazole	0.40	0.10	ND	Pass
Propoxur	0.20	0.10	ND	Pass
Pyrethrins Total	1.00	0.07	ND	Pass
Pyridaben	0.20	0.10	ND	Pass
Spinetoram Total	1.00	0.10	ND	Pass
Spinosad Total	0.20	0.10	ND	Pass
Spiromesifen	0.20	0.10	ND	Pass
Spirotetramat	0.20	0.10	ND	Pass
Spiroxamine	0.20	0.10	ND	Pass
Tebuconazole	0.40	0.10	ND	Pass
Thiacloprid	0.20	0.10	ND	Pass
Thiamethoxam	0.20	0.10	ND	Pass
Trifloxystrobin	0.20	0.10	ND	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. + indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 7 of 10 actlaboratoriesinc.com

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2307ACTNY2019.5621

♦SOP 401-NY

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

♦SOP 619-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew

Microbials

Date/Time Tested: 07/15/2023 12:40

Units Status Analyte Limit CFU/g CFU/g Total Viable Aerobic Bacteria (3M) 10000 Absent Pass Total Yeast & Mold (3M) Absent 1000 Pass STEC E. Coli (PDx) Absent Absent Pass Aspergillus Species (PDx) Absent Absent Pass Salmonella Species (PDx) Absent Absent Pass

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. + indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 8 of 10

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2307ACTNY2019.5621

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew

Heavy Metals

SOP 250-NY Date/Time Tested: 07/19/2023 10:11

Analyte	Limit	LOQ	Mass	Status
	μg/g	µg/g	µg/g	
Antimony	120.000	0.240	ND	Pass
Arsenic	1.500	0.200	ND	Pass
Cadmium	0.500	0.200	ND	Pass
Chromium	1100.000	0.240	ND	Pass
Copper	300.000	0.240	0.548	Pass
Lead	0.500	0.240	<loq< td=""><td>Pass</td></loq<>	Pass
Mercury	3.000	0.048	ND	Pass
Nickel	20.000	0.240	ND	Pass

Notes: LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. 🜢 indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 9 of 10

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2307ACTNY2019.5621

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew

Mycotoxins

SOP 303-NY Date/Time Tested: 07/17/2023 16:32

Analyte	Mass	Limit	LOQ	Status
	ng/g	ng/g	ng/g	
Ochratoxin A	Absent	20	4.2	Pass
Total Aflatoxins	Absent	20	4.2	Pass

Notes: LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. 🜢 indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.





Compliance

OCM-CPL-2022-00001 27 Kent St Suite 108, Ballston Spa, NY (517) 227-2612 actlaboratoriesinc.com 10 of 10

Gen V Labs, LLC

4473 Cherry Valley Turnpike Lafayette, NY 13084 caitlinb@beakandskiff.com (607) 283-3623

Sample: 2307ACTNY2019.5621

Strain: Ayrloom UP Island Time Gummy Chew Batch#: 071024 - G0162; Batch Size: 1833 units Sample Received: 07/13/2023 11:00 Report Created: 07/25/2023 04:28 pm Sampling SOP 204-NY

G0162 - Ayrloom UP Island Time Gummy Chew

Ingestible, Soft Chew

Water Activity

(SOP 206-NY) Water Activity Date/Time Tested: 07/18/2023 10:49



Pass

0.70 aw

0.85 Limit

Water Activity



Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



indicates a subcontracted result. † indicates a result not regulated by OCM. + indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.