



Certificate of Analysis

Sample: 2307ACTNY2108.5824

A handwritten signature in black ink that reads 'Kimberly Krisolofsky'.

Kimberly Krisolofsky
Lead Technical Director

07/27/2023

Date

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623


Sample: 2307ACTNY2108.5824

 Strain: Ayrloom 1:1 Island Time Gummy Chew
 Batch#: 071424 - G0167; Batch Size: 1865 units
 Sample Received: 07/20/2023 11:00
 Report Created: 07/27/2023 10:02 pm
 Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew

Ingestible, Soft Chew



| | | | |
|---|--|--|--|
|  | <h3>5.26 mg/dose</h3> <p>Total THC</p> | <h3>5.32 mg/dose</h3> <p>Total CBD</p> | <h3>10.70 mg/dose</h3> <p>Total Cannabinoids</p> |
|---|--|--|--|

Cannabinoids

 Method SOP 801-NY
 Date/Time Tested: 07/24/2023 17:04

Complete

| Analyte | LOQ | | |
|------------------|-------|-------------|--------------|
| | ug/mL | mg/g | mg/dose |
| CBDV | 0.50 | ND | ND |
| CBDa | 0.50 | ND | ND |
| CBGa | 0.50 | NR | NR |
| CBG | 0.50 | 0.03 | 0.13 |
| CBD | 0.50 | 1.33 | 5.32 |
| THCV | 0.50 | <LOQ | <LOQ |
| CBN | 0.50 | <LOQ | <LOQ |
| CBNa | 0.50 | NR | NR |
| Δ9-THC | 0.50 | 1.31 | 5.26 |
| Δ8-THC | 0.50 | ND | ND |
| (6aR,9S)-d10-THC | 0.50 | ND | ND |
| (6aR,9R)-d10-THC | 0.50 | ND | ND |
| CBC | 0.50 | <LOQ | <LOQ |
| THCa | 0.50 | ND | ND |
| Total | | 2.68 | 10.70 |

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
 Total CBD = CBDa * 0.877 + CBD
 Total Cannabinoids = Sum of all cannabinoids
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements.

ND = Not Detected; NT = Not Tested; NR = Not Reported


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2307ACTNY2108.5824

 Strain: Ayrloom 1:1 Island Time Gummy Chew
 Batch#: 071424 - G0167; Batch Size: 1865 units
 Sample Received: 07/20/2023 11:00
 Report Created: 07/27/2023 10:02 pm
 Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew

Ingestible, Soft Chew



Residual Solvents

Pass

SOP 612-NY

Date/Time Tested: 07/24/2023 16:48

| Analyte | LOQ | Limit | Mass | Status |
|------------------------|-----|-------|------|--------|
| | PPM | PPM | PPM | |
| 1,1,1-Trichloro-Ethane | | 1500 | ND | Pass |
| 1,2-Dichloro-Ethane | 2 | 5 | ND | Pass |
| Acetone | 4 | 5000 | <LOQ | Pass |
| Acetonitrile | 2 | 410 | ND | Pass |
| Benzene | 2 | 2 | ND | Pass |
| Butanes | 40 | 5000 | ND | Pass |
| Chloroform | 2 | 60 | ND | Pass |
| Dichloromethane | 2 | 600 | ND | Pass |
| Dimethyl Sulfoxide | | 5000 | ND | Pass |
| Ethanol | 20 | 5000 | 1150 | Pass |
| Ethyl-Acetate | 20 | 5000 | ND | Pass |
| Ethyl-Ether | 20 | 5000 | ND | Pass |
| Heptane | 20 | 5000 | ND | Pass |
| Hexanes | 6 | 290 | ND | Pass |
| Isopropanol | 20 | 5000 | ND | Pass |
| Methanol | 12 | 3000 | 19 | Pass |
| Pentanes | 60 | 5000 | ND | Pass |
| Propane | 20 | 5000 | ND | Pass |
| Toluene | 4 | 890 | ND | Pass |
| Xylenes | 26 | 2170 | ND | Pass |

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed.
 ND = Not Detected; NT = Not Tested; NR = Not Reported


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2307ACTNY2108.5824

 Strain: Ayrloom 1:1 Island Time Gummy Chew
 Batch#: 071424 - G0167; Batch Size: 1865 units
 Sample Received: 07/20/2023 11:00
 Report Created: 07/27/2023 10:02 pm
 Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew

Ingestible, Soft Chew



Pesticides

SOP 814-NY

Date/Time Tested: 07/24/2023 17:44

Pass

| Analyte | Limit | LOQ | Mass | Status |
|----------------------|-------|------|------|--------|
| | µg/g | µg/g | µg/g | |
| Abamectin | 0.50 | 0.39 | ND | Pass |
| Acephate | 0.40 | 0.10 | ND | Pass |
| Acequinocyl | 2.00 | 0.10 | ND | Pass |
| Acetamiprid | 0.20 | 0.10 | ND | Pass |
| Aldicarb | 0.40 | 0.10 | ND | Pass |
| Azadirachtin | 1.00 | 0.08 | ND | Pass |
| Azoxystrobin | 0.20 | 0.10 | ND | Pass |
| Bifenazate | 0.20 | 0.10 | ND | Pass |
| Bifenthrin | 0.20 | 0.10 | ND | Pass |
| Boscalid | 0.40 | 0.10 | ND | Pass |
| Captan | 1.00 | | TIC | Pass |
| Carbaryl | 0.20 | 0.10 | ND | Pass |
| Carbofuran | 0.20 | 0.10 | ND | Pass |
| Chlorantraniliprole | 0.20 | 0.10 | ND | Pass |
| Chlordane | 1.00 | 0.10 | ND | Pass |
| Chlorfenapyr | 1.00 | 0.10 | ND | Pass |
| Chlormequat chloride | 1.00 | | TIC | Pass |
| Chlorpyrifos | 0.20 | 0.10 | ND | Pass |
| Clofentezine | 0.20 | 0.10 | ND | Pass |
| Coumaphos | 1.00 | 0.10 | ND | Pass |
| Cyfluthrin | 1.00 | 0.50 | ND | Pass |
| Cypermethrin | 1.00 | 0.10 | ND | Pass |
| Daminozide | 1.00 | 0.10 | ND | Pass |
| Diazinon | 0.20 | 0.10 | ND | Pass |
| Dichlorvos | 1.00 | 0.10 | ND | Pass |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.

ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2307ACTNY2108.5824

 Strain: Ayrloom 1:1 Island Time Gummy Chew
 Batch#: 071424 - G0167; Batch Size: 1865 units
 Sample Received: 07/20/2023 11:00
 Report Created: 07/27/2023 10:02 pm
 Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew

Ingestible, Soft Chew



Pesticides

SOP 814-NY

Date/Time Tested: 07/24/2023 17:44

Pass

| Analyte | Limit | LOQ | Mass | Status |
|--------------------|-------|------|------|--------|
| | µg/g | µg/g | µg/g | |
| Dimethoate | 0.20 | 0.10 | ND | Pass |
| Dimethomorph | 1.00 | 0.10 | ND | Pass |
| Ethoprophos | 0.20 | 0.10 | ND | Pass |
| Etofenprox | 0.40 | 0.10 | ND | Pass |
| Etoxazole | 0.20 | 0.10 | ND | Pass |
| Fenhexamid | 1.00 | 0.10 | ND | Pass |
| Fenoxycarb | 0.20 | 0.10 | ND | Pass |
| Fenpyroximate | 0.40 | 0.10 | ND | Pass |
| Fipronil | 0.40 | 0.10 | ND | Pass |
| Fonicamid | 1.00 | 0.10 | ND | Pass |
| Fludioxonil | 0.40 | 0.10 | ND | Pass |
| Hexythiazox | 1.00 | 0.10 | ND | Pass |
| Imazalil | 0.20 | 0.10 | ND | Pass |
| Imidacloprid | 0.40 | 0.10 | ND | Pass |
| Indolebutyric Acid | 1.00 | 0.08 | ND | Pass |
| Kresoxim Methyl | 0.40 | 0.10 | ND | Pass |
| Malathion | 0.20 | 0.10 | ND | Pass |
| Metalaxyl | 0.20 | 0.10 | ND | Pass |
| Methiocarb | 0.20 | 0.10 | ND | Pass |
| Methomyl | 0.40 | 0.10 | ND | Pass |
| Methyl Parathion | 0.20 | 0.10 | ND | Pass |
| Mevinphos | 1.00 | 0.10 | ND | Pass |
| MGK-264 | 0.20 | | TIC | Pass |
| Myclobutanil | 0.20 | 0.10 | ND | Pass |
| Naled | 0.50 | 0.10 | ND | Pass |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.
 ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2307ACTNY2108.5824

 Strain: Ayrloom 1:1 Island Time Gummy Chew
 Batch#: 071424 - G0167; Batch Size: 1865 units
 Sample Received: 07/20/2023 11:00
 Report Created: 07/27/2023 10:02 pm
 Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew

Ingestible, Soft Chew



Pesticides

SOP 814-NY

Date/Time Tested: 07/24/2023 17:44

Pass

| Analyte | Limit | LOQ | Mass | Status |
|---------------------------|-------|------|------|--------|
| | µg/g | µg/g | µg/g | |
| Oxamyl | 1.00 | 0.10 | ND | Pass |
| Paclobutrazol | 0.40 | 0.10 | ND | Pass |
| Pentachloronitrobenzene | 1.00 | 0.10 | ND | Pass |
| Permethrins [M+NH4] Total | 0.20 | 0.10 | ND | Pass |
| Phosmet | 0.20 | 0.10 | ND | Pass |
| Piperonyl Butoxide | 2.00 | 0.10 | ND | Pass |
| Prallethrin | 0.20 | 0.10 | ND | Pass |
| Propiconazole | 0.40 | 0.10 | ND | Pass |
| Propoxur | 0.20 | 0.10 | ND | Pass |
| Pyrethrins Total | 1.00 | 0.07 | ND | Pass |
| Pyridaben | 0.20 | 0.10 | ND | Pass |
| Spinetoram Total | 1.00 | 0.10 | ND | Pass |
| Spinosad Total | 0.20 | 0.10 | ND | Pass |
| Spiromesifen | 0.20 | 0.10 | ND | Pass |
| Spirotetramat | 0.20 | 0.10 | ND | Pass |
| Spiroxamine | 0.20 | 0.10 | ND | Pass |
| Tebuconazole | 0.40 | 0.10 | ND | Pass |
| Thiacloprid | 0.20 | 0.10 | ND | Pass |
| Thiamethoxam | 0.20 | 0.10 | ND | Pass |
| Trifloxystrobin | 0.20 | 0.10 | ND | Pass |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.
 ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.


 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2307ACTNY2108.5824

Strain: Ayrloom 1:1 Island Time Gummy Chew
Batch#: 071424 - G0167; Batch Size: 1865 units
Sample Received: 07/20/2023 11:00
Report Created: 07/27/2023 10:02 pm
Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew

Ingestible, Soft Chew



Microbials

Date/Time Tested: 07/22/2023 14:30

◆SOP 401-NY

◆SOP 619-NY

| Analyte | Limit | Units | Status |
|------------------------------------|--------|--------|--------|
| Total Viable Aerobic Bacteria (3M) | 10000 | CFU/g | Pass |
| Total Yeast & Mold (3M) | 1000 | CFU/g | Pass |
| STEC E. Coli (PDx) | Absent | Absent | Pass |
| Aspergillus Species (PDx) | Absent | Absent | Pass |
| Salmonella Species (PDx) | Absent | Absent | Pass |

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2307ACTNY2108.5824

Strain: Ayrloom 1:1 Island Time Gummy Chew
Batch#: 071424 - G0167; Batch Size: 1865 units
Sample Received: 07/20/2023 11:00
Report Created: 07/27/2023 10:02 pm
Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew

Ingestible, Soft Chew



Heavy Metals

SOP 250-NY

Date/Time Tested: 07/24/2023 10:00

Pass

| Analyte | Limit | LOQ | Mass | Status |
|----------|-----------------|---------------|-------|--------|
| Antimony | 120.000 µg/g | 0.240 µg/g | ND | Pass |
| Arsenic | 1.500 | 0.200 | ND | Pass |
| Cadmium | 0.500 | 0.200 | ND | Pass |
| Chromium | 1100.000 | 0.240 | <LOQ | Pass |
| Copper | 300.000 | 0.240 | 0.534 | Pass |
| Lead | 0.500 | 0.240 | <LOQ | Pass |
| Mercury | 3.000 | 0.048 | ND | Pass |
| Nickel | 20.000 | 0.240 | ND | Pass |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2307ACTNY2108.5824

Strain: Ayrloom 1:1 Island Time Gummy Chew
Batch#: 071424 - G0167; Batch Size: 1865 units
Sample Received: 07/20/2023 11:00
Report Created: 07/27/2023 10:02 pm
Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew

Ingestible, Soft Chew



Mycotoxins

SOP 303-NY

Date/Time Tested: 07/24/2023 17:34

Pass

| Analyte | Mass | Limit | LOQ | Status |
|------------------|----------------|------------|-------------|--------|
| Ochratoxin A | ng/g Absent | ng/g 20 | ng/g 4.2 | Pass |
| Total Aflatoxins | ng/g Absent | ng/g 20 | ng/g 4.2 | Pass |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.

ND = Not Detected; NT = Not Tested; NR = Not Reported

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com

Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2307ACTNY2108.5824

Strain: Ayrloom 1:1 Island Time Gummy Chew
Batch#: 071424 - G0167; Batch Size: 1865 units
Sample Received: 07/20/2023 11:00
Report Created: 07/27/2023 10:02 pm
Sampling SOP 204-NY

G0167 - Ayrloom 1:1 Island Time Gummy Chew


Ingestible, Soft Chew



Water Activity

(SOP 206-NY)

Water Activity Date/Time Tested: 07/24/2023 15:54

Pass

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported