

Gen V

Order No.: ONYGVL1223-0004018
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1223-IGUM-0011763

Batch#: 121825-G0556, Batch Size: 3715
 Sample Received: 12/23/2024 05:05
 Report Created: 12/31/2024 15:06
 Sampling SOP 204-NY

Ayrloom 10mg Island Time

Ingestible, Gummy



Results

| | |
|---|----------------------------------|
| 10.300 mg/dose D9-THC | 4.870 mg/dose CBD |
| 4.87 mg/dose Total CBD | 10.3 mg/dose Total THC |
| 16.8 mg/dose Total Cannabinoids | 0% Total Terpenes |

Tests Summary

| | | |
|----------------------------------|----------------------------------|-----------------------------|
| Cannabinoids Tested | Moisture Not Tested | Microbials Pass |
| Water Activity Pass | Homogeneity Not Tested | Terpenes Tested |
| Residual Solvents Pass | Mycotoxins Pass | Heavy Metals Pass |
| Pesticides Pass | | |

Dominant Terpenes

No terpenes detected



Certificate of Analysis

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

Compliance

Adult Use

Gen V

Order No.: ONYGVL1223-0004018
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGVL1223-IGUM-0011763

Batch#: 121825-G0556, Batch Size: 3715
Sample Received: 12/23/2024 05:05
Report Created: 12/31/2024 15:06
Sampling SOP 204-NY

Ayrloom 10mg Island Time

Ingestible, Gummy



Cannabinoids

SOP 801-NY
Date/Time Tested: 12/24/2024
18:12

Tested

| Analyte | LOQ (ug/mL) | mg/g | % | mg/dose |
|--------------------|-------------|-------|-------|---------|
| CBDV | 30.00 | < LOQ | < LOQ | < LOQ |
| CBDa | 30.00 | ND | ND | ND |
| CBGa | 30.00 | < LOQ | < LOQ | < LOQ |
| CBG | 30.00 | 0.07 | 0.01 | 0.28 |
| CBD | 30.00 | 1.22 | 0.12 | 4.87 |
| THCV | 30.00 | < LOQ | < LOQ | < LOQ |
| CBN | 30.00 | 0.29 | 0.03 | 1.15 |
| D9-THC | 30.00 | 2.58 | 0.26 | 10.30 |
| D8-THC | 30.00 | ND | ND | ND |
| (6aR,9S)-d10-THC | 30.00 | ND | ND | ND |
| (6aR,9R)-d10-THC | 30.00 | ND | ND | ND |
| CBC | 30.00 | 0.05 | 0.01 | 0.20 |
| THCa | 30.00 | ND | ND | ND |
| Total CBD | | 1.22 | 0.12 | 4.87 |
| Total THC | | 2.58 | 0.26 | 10.30 |
| Total Cannabinoids | | 4.20 | 0.42 | 16.80 |

Notes:

Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Cannabinoids= Sum of all cannabinoids
LOQ = Limit of Quantitation;
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY
Date/Time Tested: 12/31/2024
12:58

Pass

| Analyte | LOQ (CFU/g) | Limit (CFU/g) | CFU/g | Status |
|-----------------------|-------------|---------------|-------|--------|
| Aerobic Bacteria | 1,000 | 10,000 | ND | Passed |
| E. Coli | | 0 | ND | Passed |
| Yeast & Mold | 100 | 1,000 | ND | Passed |
| Salmonella | | 0 | ND | Passed |
| Aspergillus Flavus | | 0 | ND | Passed |
| Aspergillus Fumigatus | | 0 | ND | Passed |
| Aspergillus Niger | | 0 | ND | Passed |
| Aspergillus Terreus | | 0 | ND | Passed |

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

Date/Time Tested: 12/26/2024
16:20

Pass

| Analyte | Limit (aw) | aw | Status |
|----------------|------------|------|--------|
| Water Activity | 0.85 | 0.68 | Passed |



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL1223-0004018
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1223-IGUM-0011763

Batch#: 121825-G0556, Batch Size: 3715
 Sample Received: 12/23/2024 05:05
 Report Created: 12/31/2024 15:06
 Sampling SOP 204-NY

Ayrloom 10mg Island Time
 Ingestible, Gummy



Terpenes

SOP 620-NY
 Date/Time Tested: 12/24/2024 17:24

Tested

| Analyte | LOQ (ug/mL) | % | Analyte | LOQ (ug/mL) | % |
|------------------|-------------|----|---------------------|-------------|----|
| Total Terpenes | | ND | DL-Menthol | 165 | ND |
| a-Pinene | 165 | ND | Borneol | 165 | ND |
| Camphene | 165 | ND | Terpineol | 165 | ND |
| Sabinene | 165 | ND | Nerol | 165 | ND |
| b-Pinene | 165 | ND | Pulegone | 165 | ND |
| b-Myrcene | 165 | ND | Geraniol | 165 | ND |
| a-Phellandrene | 165 | ND | Geranyl Acetate | 165 | ND |
| d-3-Carene | 165 | ND | a-Cedrene | 165 | ND |
| a-Terpinene | 165 | ND | b-Caryophyllene | 165 | ND |
| Limonene | 165 | ND | a-Humulene | 165 | ND |
| Eucalyptol | 165 | ND | Valencene | 165 | ND |
| g-Terpinene | 165 | ND | cis-Nerolidol | 165 | ND |
| Terpinolene | 165 | ND | trans-Nerolidol | 165 | ND |
| Fenchol | 165 | ND | Guaiol | 165 | ND |
| Sabinene Hydrate | 165 | ND | Caryophyllene Oxide | 165 | ND |
| Linalool | 165 | ND | Cedrol | 165 | ND |
| Fenchone | 165 | ND | a-Bisabolol | 165 | ND |
| Isopulegol | 165 | ND | trans-b-Ocimene | 165 | ND |
| Camphor | 165 | ND | trans-b-Farnesene | 165 | ND |
| Isoborneol | 165 | ND | p-Cymene | 165 | ND |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

4 of 7

Gen V

Order No.: ONYGVL1223-0004018
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1223-IGUM-0011763

Batch#: 121825-G0556, Batch Size: 3715
 Sample Received: 12/23/2024 05:05
 Report Created: 12/31/2024 15:06
 Sampling SOP 204-NY

Ayrloom 10mg Island Time

Ingestible, Gummy



Residual Solvents

SOP 612-NY

Date/Time Tested: 12/26/2024 12:44

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|--------------------------------------|------------|--------------|---------|--------|
| 1,2-Dichloroethane | 2 | 5 | ND | Passed |
| Acetone | 40 | 5,000 | ND | Passed |
| Acetonitrile | 16 | 410 | ND | Passed |
| Benzene | 2 | 2 | ND | Passed |
| Butane | 40 | 5,000 | ND | Passed |
| Chloroform | 2 | 60 | ND | Passed |
| Ethanol | 201 | 5,000 | 1,742.3 | Passed |
| Ethyl Acetate | 201 | 5,000 | ND | Passed |
| Ethyl Ether | 20 | 5,000 | ND | Passed |
| DMSO | 101 | 5,000 | ND | Passed |
| Heptane | 20 | 5,000 | ND | Passed |
| Hexanes | 6 | 290 | ND | Passed |
| Isopropyl Alcohol | 201 | 5,000 | ND | Passed |
| Methanol | 121 | 3,000 | < LOQ | Passed |
| Methylene Chloride | 2 | 600 | ND | Passed |
| Pentanes | 60 | 5,000 | ND | Passed |
| Propane | 20 | 5,000 | ND | Passed |
| Toluene | 4 | 890 | ND | Passed |
| Trichloroethane | 5,030 | 1,500 | ND | Passed |
| Xylenes | 266 | 2,170 | ND | Passed |
| 1,1,1,2-Tetrafluoroethane (HFC-134a) | 20 | 1,000 | ND | Passed |

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported.

Mycotoxins

SOP 808-NY

Date/Time Tested: 12/26/2024 13:04

Pass

| Analyte | LOQ (ng/g) | Limit (ng/g) | ng/g | Status | Analyte | LOQ (ng/g) | Limit (ng/g) | ng/g | Status |
|---------|------------|--------------|------|--------|------------------|------------|--------------|------|--------|
| B1 | 5.0 | | ND | Tested | Ochratoxin A | 5.0 | 20.0 | ND | Passed |
| B2 | 5.0 | | ND | Tested | Total Aflatoxins | | 20.0 | ND | Passed |
| G1 | 5.0 | | ND | Tested | Total Mycotoxins | | | ND | Tested |
| G2 | 5.0 | | ND | Tested | | | | | |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

Compliance

Adult Use

OCM-CPL-2022-00001
ACT Laboratories (NY)
16 Corporate Drive, Halfmoon, New York
5172272612
kimberlyk@actlab.com

5 of 7

Gen V

Order No.: ONYGVL1223-0004018
4473 Cherry Valley Turnpike
New York, 13084
info@ayrloom.com
3157077760

Sample: SNYGVL1223-IGUM-0011763

Batch#: 121825-G0556, Batch Size: 3715
Sample Received: 12/23/2024 05:05
Report Created: 12/31/2024 15:06
Sampling SOP 204-NY

Ayrloom 10mg Island Time

Ingestible, Gummy



Heavy Metals

SOP 250-NY

Date/Time Tested: 12/26/2024 13:04

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------|------------|--------------|--------------|--------|
| Antimony | 0.187 | 120.000 | ND | Passed |
| Arsenic | 0.187 | 1.500 | ND | Passed |
| Cadmium | 0.187 | 0.500 | ND | Passed |
| Chromium | 0.187 | 1,100.000 | < LOQ | Passed |
| Copper | 0.224 | 300.000 | 0.617 | Passed |
| Mercury | 0.045 | 3.000 | ND | Passed |
| Nickel | 0.224 | 20.000 | ND | Passed |
| Lead | 0.187 | 0.500 | ND | Passed |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported



Kimberly Krisolofsky
Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL1223-0004018
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1223-IGUM-0011763

Batch#: 121825-G0556, Batch Size: 3715
 Sample Received: 12/23/2024 05:05
 Report Created: 12/31/2024 15:06
 Sampling SOP 204-NY

Ayrloom 10mg Island Time

Ingestible, Gummy



Pesticides

SOP 814-NY

Date/Time Tested: 12/26/2024 12:48

Pass

| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|-----------------------|------------|--------------|------|--------|
| Abamectin | 0.36 | 0.50 | ND | Passed |
| Acephate | 0.09 | 0.40 | ND | Passed |
| Acequinocyl | 0.09 | 2.00 | ND | Passed |
| Acetamiprid | 0.09 | 0.20 | ND | Passed |
| Aldicarb | 0.09 | 0.40 | ND | Passed |
| Azoxystrobin | 0.09 | 0.20 | ND | Passed |
| Bifenazate | 0.09 | 0.20 | ND | Passed |
| Bifenthrin | 0.09 | 0.20 | ND | Passed |
| Boscalid | 0.09 | 0.40 | ND | Passed |
| Carbaryl | 0.09 | 0.20 | ND | Passed |
| Carbofuran | 0.09 | 0.20 | ND | Passed |
| Chlorantraniliprole | 0.09 | 0.20 | ND | Passed |
| Chlorpyrifos | 0.09 | 0.20 | ND | Passed |
| Clofentezine | 0.09 | 0.20 | ND | Passed |
| Coumaphos | 0.09 | 1.00 | ND | Passed |
| Cyfluthrin | 0.46 | 1.00 | ND | Passed |
| Cypermethrin | 0.09 | 1.00 | ND | Passed |
| Daminozide | 0.09 | 1.00 | ND | Passed |
| Diazinon | 0.09 | 0.20 | ND | Passed |
| Dichlorvos | 0.09 | 1.00 | ND | Passed |
| Dimethoate | 0.09 | 0.20 | ND | Passed |
| Dimethomorph | 0.09 | 1.00 | ND | Passed |
| Ethoprophos | 0.09 | 0.20 | ND | Passed |
| Etofenprox | 0.09 | 0.40 | ND | Passed |
| Etoxazole | 0.09 | 0.20 | ND | Passed |
| Fenhexamid | 0.09 | 1.00 | ND | Passed |
| Fenoxycarb | 0.09 | 0.20 | ND | Passed |
| Fenpyroximate | 0.09 | 0.40 | ND | Passed |
| Fipronil | 0.09 | 0.40 | ND | Passed |
| Fonicamid | 0.09 | 1.00 | ND | Passed |
| Fludioxonil | 0.09 | 0.40 | ND | Passed |
| Hexythiazox | 0.09 | 1.00 | ND | Passed |
| Imazalil | 0.09 | 0.20 | ND | Passed |
| Imidacloprid | 0.09 | 0.40 | ND | Passed |
| Indole-3 Butyric Acid | 0.12 | 1.00 | ND | Passed |
| Kresoxim Methyl | 0.09 | 0.40 | ND | Passed |
| Malathion | 0.09 | 0.20 | ND | Passed |
| Mevinphos | 0.09 | 1.00 | ND | Passed |
| Metalaxyl | 0.09 | 0.20 | ND | Passed |
| Methiocarb | 0.09 | 0.20 | ND | Passed |
| Methomyl | 0.09 | 0.40 | ND | Passed |



Kimberly Krisolofsky

Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.



Certificate of Analysis

OCM-CPL-2022-00001
 ACT Laboratories (NY)
 16 Corporate Drive, Halfmoon, New York
 5172272612
 kimberlyk@actlab.com

Compliance

Adult Use

7 of 7

Gen V

Order No.: ONYGVL1223-0004018
 4473 Cherry Valley Turnpike
 New York, 13084
 info@ayrloom.com
 3157077760

Sample: SNYGVL1223-IGUM-0011763

Batch#: 121825-G0556, Batch Size: 3715
 Sample Received: 12/23/2024 05:05
 Report Created: 12/31/2024 15:06
 Sampling SOP 204-NY

Ayrloom 10mg Island Time

Ingestible, Gummy



| Analyte | LOQ (ug/g) | Limit (ug/g) | ug/g | Status |
|----------------------|------------|--------------|-------|--------|
| MGK-264 | 0.01 | 0.20 | ND | Passed |
| Myclobutanil | 0.09 | 0.20 | ND | Passed |
| Naled | 0.09 | 0.50 | ND | Passed |
| Oxamyl | 0.09 | 1.00 | ND | Passed |
| Paclobutrazol | 0.09 | 0.40 | ND | Passed |
| Permethrin | 0.09 | 0.20 | < LOQ | Passed |
| Phosmet | 0.09 | 0.20 | ND | Passed |
| Piperonyl Butoxide | 0.09 | 2.00 | ND | Passed |
| Prallethrin | 0.09 | 0.20 | ND | Passed |
| Propiconazole | 0.09 | 0.40 | ND | Passed |
| Propoxur | 0.09 | 0.20 | ND | Passed |
| Pyrethrins | 0.06 | 1.00 | ND | Passed |
| Pyridaben | 0.09 | 0.20 | ND | Passed |
| Spinetoram | 0.09 | 1.00 | ND | Passed |
| Spinosyn AD | 0.09 | 0.20 | ND | Passed |
| Spiromesifen | 0.09 | 0.20 | ND | Passed |
| Spirotetramat | 0.09 | 0.20 | ND | Passed |
| Spiroxamine | 0.09 | 0.20 | ND | Passed |
| Tebuconazole | 0.09 | 0.40 | ND | Passed |
| Thiacloprid | 0.09 | 0.20 | ND | Passed |
| Thiamethoxam | 0.09 | 0.20 | ND | Passed |
| Trifloxystrobin | 0.09 | 0.20 | ND | Passed |
| Captan | | 1.00 | TIC | Passed |
| Methyl Parathion | 0.09 | 0.20 | ND | Passed |
| Chlordane | 0.09 | 1.00 | ND | Passed |
| Chlorfenapyr | 0.09 | 1.00 | ND | Passed |
| PCNB | 0.09 | 1.00 | ND | Passed |
| Azadirachtin | 0.12 | 1.00 | ND | Passed |
| Chlormequat Chloride | 0.02 | 1.00 | ND | Passed |

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.