

Gen V

Order No.: ONYGVL0812-0002214
4473 Cherry Valley Turnpike
New York, 13084
caitlinb@ayrloom.com
6072833623

Sample: SNYGVL0812-ITIN-0009348

Strain: EveryDay Drops
Batch#: 080926 - T0104, Batch Size: 1000
Sample Received: 08/12/2024 03:53
Report Created: 08/15/2024 17:46
Sampling SOP 204-NY

Ayrloom Everyday Drops
Ingestible, Tincture



Results

5.85 mg/dose CBC	19.35 mg/dose CBC
479.12 mg/dose Total CBD	151.30 mg/dose Total THC
658.03 mg/dose Total Cannabinoids	0% Total Terpenes

Tests Summary

Cannabinoids Tested	Moisture Not Tested	Microbials Pass
Water Activity Pass	Homogeneity Not Tested	Terpenes Tested
Residual Solvents Pass	Mycotoxins Pass	Heavy Metals Pass
Pesticides Pass		

Dominant Terpenes

No terpenes detected

Gen V

Order No.: ONYGVL0812-0002214
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0812-ITIN-0009348

Strain: EveryDay Drops
 Batch#: 080926 - T0104, Batch Size: 1000
 Sample Received: 08/12/2024 03:53
 Report Created: 08/15/2024 17:46
 Sampling SOP 204-NY

Ayrloom Everyday Drops
 Ingestible, Tincture



Cannabinoids

SOP 801-NY
 Date/Time Tested: 08/13/2024
 17:00

Tested

Analyte	LOQ (ug/mL)	mg/g	%	mg/dose
CBDV	59.81	< LOQ	< LOQ	< LOQ
CBDa	59.81	ND	ND	ND
CBGa	59.81	ND	ND	ND
CBG	59.81	0.21	0.02	5.85
CBD	59.81	16.81	1.68	479.12
THCV	59.81	< LOQ	< LOQ	< LOQ
CBN	59.81	0.08	0.01	2.42
D9-THC	59.81	5.31	0.53	151.30
D8-THC	59.81	ND	ND	ND
(6aR,9S)-d10-THC	59.81	ND	ND	ND
(6aR,9R)-d10-THC	59.81	ND	ND	ND
CBC	59.81	0.68	0.07	19.35
THCa	59.81	ND	ND	ND
Total CBD		16.81	1.68	479.12
Total THC		5.31	0.53	151.30
Total Cannabinoids		23.09	2.31	658.03

Notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Cannabinoids= Sum of all cannabinoids
LOQ = Limit of Quantitation;
The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001.
Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. ND = Not Detected; NT = Not Tested; NR = Not Reported

Microbials

SOP 401-NY SOP 619-NY
 Date/Time Tested: 08/15/2024
 14:11

Pass

Analyte	LOQ (CFU/g)	Limit (CFU/g)	CFU/g	Status
Aerobic Bacteria		10,000	ND	Passed
E. Coli		0	ND	Passed
Yeast & Mold		1,000	ND	Passed
Salmonella		0	ND	Passed
Aspergillus Flavus		0	ND	Passed
Aspergillus Fumigatus		0	ND	Passed
Aspergillus Niger		0	ND	Passed
Aspergillus Terreus		0	ND	Passed

Notes:
Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported

Water Activity

Date/Time Tested: 08/13/2024
 16:06

Pass

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	0.50	Passed



Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0812-0002214
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0812-ITIN-0009348

Strain: EveryDay Drops
 Batch#: 080926 - T0104, Batch Size: 1000
 Sample Received: 08/12/2024 03:53
 Report Created: 08/15/2024 17:46
 Sampling SOP 204-NY

Ayrloom Everyday Drops
 Ingestible, Tincture



Terpenes

SOP 620-NY
 Date/Time Tested: 08/13/2024 11:33

Tested

Analyte	LOQ (ug/mL)	%	Analyte	LOQ (ug/mL)	%
Total Terpenes		ND	DL-Menthol	165	ND
a-Pinene	165	ND	Borneol	165	ND
Camphene	165	ND	Terpineol	165	ND
Sabinene	165	ND	Nerol	165	ND
b-Pinene	165	ND	Pulegone	165	ND
b-Myrcene	165	ND	Geraniol	165	ND
a-Phellandrene	165	ND	Geranyl Acetate	165	ND
d-3-Carene	165	ND	a-Cedrene	165	ND
a-Terpinene	165	ND	b-Caryophyllene	165	ND
Limonene	165	ND	a-Humulene	165	ND
Eucalyptol	165	ND	Valencene	165	ND
g-Terpinene	165	ND	cis-Nerolidol	165	ND
Terpinolene	165	ND	trans-Nerolidol	165	ND
Fenchol	165	ND	Guaiol	165	ND
Sabinene Hydrate	165	ND	Caryophyllene Oxide	165	ND
Linalool	165	ND	Cedrol	165	ND
Fenchone	165	ND	a-Bisabolol	165	< LOQ
Isopulegol	165	ND	trans-b-Ocimene	165	ND
Camphor	165	ND	trans-b-Farnesene	165	ND
Isoborneol	165	ND	p-Cymene	165	ND

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0812-0002214
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0812-ITIN-0009348

Strain: EveryDay Drops
 Batch#: 080926 - T0104, Batch Size: 1000
 Sample Received: 08/12/2024 03:53
 Report Created: 08/15/2024 17:46
 Sampling SOP 204-NY

Ayrloom Everyday Drops
 Ingestible, Tincture



Residual Solvents

SOP 612-NY
 Date/Time Tested: 08/13/2024 11:37

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
1,2-Dichloroethane	2	5	ND	Passed
Acetone	36	5,000	ND	Passed
Acetonitrile	15	410	ND	Passed
Benzene	2	2	ND	Passed
Butane	36	5,000	ND	Passed
Chloroform	2	60	ND	Passed
Ethanol	182	5,000	< LOQ	Passed
Ethyl Acetate	182	5,000	ND	Passed
Ethyl Ether	18	5,000	ND	Passed
DMSO		5,000	TIC	Passed
Heptane	18	5,000	ND	Passed
Hexanes	5	290	ND	Passed
Isopropyl Alcohol	182	5,000	ND	Passed
Methanol	109	3,000	ND	Passed
Methylene Chloride	2	600	ND	Passed
Pentanes	55	5,000	ND	Passed
Propane	18	5,000	ND	Passed
Toluene	3	890	ND	Passed
Trichloroethane		1,500	TIC	Passed
Xylenes	240	2,170	ND	Passed
1,1,1,2-Tetrafluoroethane (HFC-134a)	500	1,000	ND	Passed

Notes:

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to full state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.

Mycotoxins

SOP 808-NY
 Date/Time Tested: 08/14/2024 02:18

Pass

Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status	Analyte	LOQ (ng/g)	Limit (ng/g)	ng/g	Status
B1	4.6		ND	Tested	Ochratoxin A	4.6	20.0	ND	Passed
B2	4.6		ND	Tested	Total Aflatoxins		20.0	ND	Passed
G1	4.6		ND	Tested	Total Mycotoxins			ND	Tested
G2	4.6		ND	Tested					

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

Gen V

Order No.: ONYGVL0812-0002214
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0812-ITIN-0009348

Strain: EveryDay Drops
 Batch#: 080926 - T0104, Batch Size: 1000
 Sample Received: 08/12/2024 03:53
 Report Created: 08/15/2024 17:46
 Sampling SOP 204-NY

Ayrloom Everyday Drops
 Ingestible, Tincture



Heavy Metals

SOP 250-NY
 Date/Time Tested: 08/14/2024 11:07

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Antimony	0.210	120.000	ND	Passed
Arsenic	0.210	1.500	ND	Passed
Cadmium	0.210	0.500	ND	Passed
Chromium	0.210	1,100.000	ND	Passed
Copper	0.253	300.000	ND	Passed
Mercury	0.051	3.000	ND	Passed
Nickel	0.253	20.000	< LOQ	Passed
Lead	0.210	0.500	ND	Passed

Notes:
 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. ND = Not Detected; NT = Not Tested; NR = Not Reported




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0812-0002214
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0812-ITIN-0009348

Strain: EveryDay Drops
 Batch#: 080926 - T0104, Batch Size: 1000
 Sample Received: 08/12/2024 03:53
 Report Created: 08/15/2024 17:46
 Sampling SOP 204-NY

Ayrloom Everyday Drops
 Ingestible, Tincture



Pesticides

SOP 814-NY
 Date/Time Tested: 08/13/2024 13:05

Pass

Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Abamectin	0.36	0.50	ND	Passed
Acephate	0.09	0.40	ND	Passed
Acequinocyl	0.09	2.00	ND	Passed
Acetamiprid	0.09	0.20	ND	Passed
Aldicarb	0.09	0.40	ND	Passed
Azoxystrobin	0.09	0.20	ND	Passed
Bifenazate	0.09	0.20	ND	Passed
Bifenthrin	0.09	0.20	ND	Passed
Boscalid	0.09	0.40	ND	Passed
Carbaryl	0.09	0.20	ND	Passed
Carbofuran	0.09	0.20	ND	Passed
Chlorantraniliprole	0.09	0.20	ND	Passed
Chlorpyrifos	0.09	0.20	ND	Passed
Clofentezine	0.09	0.20	ND	Passed
Coumaphos	0.09	1.00	ND	Passed
Cyfluthrin	0.46	1.00	ND	Passed
Cypermethrin	0.09	1.00	ND	Passed
Daminozide	0.09	1.00	ND	Passed
Diazinon	0.09	0.20	ND	Passed
Dichlorvos	0.09	1.00	ND	Passed
Dimethoate	0.09	0.20	ND	Passed
Dimethomorph	0.09	1.00	ND	Passed
Ethoprophos	0.09	0.20	ND	Passed
Etofenprox	0.09	0.40	ND	Passed
Etoxazole	0.09	0.20	ND	Passed
Fenhexamid	0.09	1.00	ND	Passed
Fenoxycarb	0.09	0.20	ND	Passed
Fenpyroximate	0.09	0.40	ND	Passed
Fipronil	0.09	0.40	ND	Passed
Flonicamid	0.09	1.00	ND	Passed
Fludioxonil	0.09	0.40	ND	Passed
Hexythiazox	0.09	1.00	ND	Passed
Imazalil	0.09	0.20	ND	Passed
Imidacloprid	0.09	0.40	ND	Passed
Indole-3 Butyric Acid		1.00	TIC	Passed
Kresoxim Methyl	0.09	0.40	ND	Passed
Malathion	0.09	0.20	ND	Passed
Mevinphos	0.09	1.00	ND	Passed
Metalaxyl	0.09	0.20	ND	Passed
Methiocarb	0.09	0.20	ND	Passed
Methomyl	0.09	0.40	ND	Passed
MGK-264		0.20	TIC	Passed
Myclobutanil	0.09	0.20	ND	Passed




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.

Gen V

Order No.: ONYGVL0812-0002214
 4473 Cherry Valley Turnpike
 New York, 13084
 caitlinb@ayrloom.com
 6072833623

Sample: SNYGVL0812-ITIN-0009348

Strain: EveryDay Drops
 Batch#: 080926 - T0104, Batch Size: 1000
 Sample Received: 08/12/2024 03:53
 Report Created: 08/15/2024 17:46
 Sampling SOP 204-NY

Ayrloom Everyday Drops
 Ingestible, Tincture



Analyte	LOQ (ug/g)	Limit (ug/g)	ug/g	Status
Naled	0.09	0.50	ND	Passed
Oxamyl	0.09	1.00	ND	Passed
Paclobutrazol	0.09	0.40	ND	Passed
Permethrin	0.09	0.20	ND	Passed
Phosmet	0.09	0.20	ND	Passed
Piperonyl Butoxide	0.09	2.00	ND	Passed
Prallethrin	0.09	0.20	ND	Passed
Propiconazole	0.09	0.40	ND	Passed
Propoxur	0.09	0.20	ND	Passed
Pyrethrins	0.06	1.00	ND	Passed
Pyridaben	0.09	0.20	ND	Passed
Spinetoram	0.09	1.00	ND	Passed
Spinosyn AD	0.09	0.20	ND	Passed
Spiromesifen	0.09	0.20	ND	Passed
Spirotetramat	0.09	0.20	ND	Passed
Spiroxamine	0.09	0.20	ND	Passed
Tebuconazole	0.09	0.40	ND	Passed
Thiacloprid	0.09	0.20	ND	Passed
Thiamethoxam	0.09	0.20	ND	Passed
Trifloxystrobin	0.09	0.20	ND	Passed
Captan		1.00	TIC	Passed
Methyl Parathion	0.09	0.20	ND	Passed
Chlordane	0.09	1.00	ND	Passed
Chlorfenapyr	0.09	1.00	ND	Passed
PCNB	0.09	1.00	ND	Passed
Azadirachtin		1.00	ND	Passed
Chloromequat Chloride		1.00	TIC	Passed

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed. ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.




Kimberly Krisolofsky
 Lead Technical Director

* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email.