



Certificate of Analysis

Sample: 2401ACTNY0048.0245

A handwritten signature in black ink that reads 'Kimberly Krisolofsky'.

05/04/2024

Kimberly Krisolofsky
Lead Technical Director

Date

Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2401ACTNY0048.0245

Strain: Bliss
Batch#: 012625 V0188; Batch Size: 4000 units
Sample Received: 01/30/2024 09:57
Report Created: 05/04/2024 05:44 pm
Sampling SOP 204-NY

Ayrloom 'Bliss' Vape

Concentrates & Extracts, Vape



	72.93%	<LOQ	90.90%
Total THC		Total CBD	Total Cannabinoids

Cannabinoids

Method SOP 801-NY
Date/Time Tested: 01/31/2024 15:07

Complete

Analyte	LOQ		%	mg/dose
	ug/mL	mg/g		
CBDV	0.50	ND	ND	ND
CBDa	0.50	ND	ND	ND
CBGa	0.50	ND	ND	ND
CBG	0.50	<LOQ	<LOQ	<LOQ
CBD	0.50	ND	ND	ND
THCV	0.50	<LOQ	<LOQ	<LOQ
CBN	0.50	<LOQ	<LOQ	<LOQ
CBNa	0.50	ND	ND	ND
Δ9-THC	0.50	729.30	72.93	3.60
Δ8-THC	0.50	ND	ND	ND
(6aR,9S)-d10-THC	0.50	ND	ND	ND
(6aR,9R)-d10-THC	0.50	ND	ND	ND
CBC	0.50	179.80	17.98	0.90
THCa	0.50	ND	ND	ND
Total		909.00	90.90	4.50

Notes:
Total THC = THCa * 0.877 + Δ8-THC + Δ9-THC + (6aR,9S)-d10-THC + (6aR,9R)-d10-THC
Total CBD = CBDa * 0.877 + CBD
Total Cannabinoids = Sum of all cannabinoids
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. OCMPPCL-2022-00001. Cannabinoid potency values for flower type products are reported by percentage of dry weight determined via loss on drying; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements.
ND = Not Detected; NT = Not Tested; NR = Not Reported
*(6aR,9R)-d10-THC might include 9(S)-d6a,10a-THC as part of the Total THC.



Lot number reformatted per client request

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ‡ indicates ISO/IEC 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2401ACTNY0048.0245

Strain: Bliss
Batch#: 012625 V0188; Batch Size: 4000 units
Sample Received: 01/30/2024 09:57
Report Created: 05/04/2024 05:44 pm
Sampling SOP 204-NY

Ayrloom 'Bliss' Vape

Concentrates & Extracts, Vape



Terpenes





♦SOP 620-NY

Date/Time Tested: 02/02/2024 15:41

Analyte	LOQ	Mass	Mass
	ug/mL	%	mg/g
S (-) Limonene	4.0	1.372	13.725
α-Phellandrene	4.0	0.636	6.359
trans-Caryophyllene	4.0	0.596	5.958
α-Pinene	4.0	0.531	5.312
Linalool	4.0	0.313	3.129
α-Terpineol	4.0	0.233	2.329
Nerol	4.0	0.229	2.289
β-Myrcene	4.0	0.152	1.524
α-Humulene	4.0	0.126	1.258
p-Cymene	4.0	0.093	0.933
α-Bisabolol	4.0	0.090	0.898
Camphene	4.0	0.085	0.854
Guaial	4.0	0.074	0.741
β-Pinene	4.0	0.043	0.429
trans-Nerolidol	4.0	0.038	0.382
α-Terpinene	4.0	0.033	0.328
Fenchol	4.0	0.028	0.277
Eucalyptol	4.0	0.020	0.202
Pulegone	4.0	0.016	0.165
α-Cedrene	4.0	ND	ND
Borneol	4.0	<LOQ	<LOQ
Camphor	4.0	ND	ND
Caryophyllene Oxide	4.0	ND	ND
Cedrol	4.0	ND	ND
cis-Nerolidol	4.0	ND	ND
δ-3-Carene	4.0	ND	ND
Farnesene	4.0	ND	ND
Fenchone	4.0	ND	ND
γ-Terpinene	4.0	<LOQ	<LOQ
Geraniol	4.0	ND	ND
Geranyl Acetate	4.0	ND	ND
Isoborneol	4.0	ND	ND
Isopulegol	4.0	ND	ND
Menthol	4.0	ND	ND
Ocimene	4.0	ND	ND
Sabinene	4.0	ND	ND
Sabinene Hydrate	4.0	ND	ND
Terpinolene	4.0	<LOQ	<LOQ
Valencene	4.0	ND	ND

Pass

Primary Aromas



4.71%
Total Terpenes

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not Reported



Lot number reformatted per client request

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ♦ indicates ISO/IEC 17025:2017 accreditation is pending. This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2401ACTNY0048.0245

 Strain: Bliss
 Batch#: 012625 V0188; Batch Size: 4000 units
 Sample Received: 01/30/2024 09:57
 Report Created: 05/04/2024 05:44 pm
 Sampling SOP 204-NY

Ayrloom 'Bliss' Vape

Concentrates & Extracts, Vape



Residual Solvents

SOP 612-NY

Date/Time Tested: 01/31/2024 19:33

Pass

Analyte	LOQ	Limit	Mass	Status
	PPM	PPM	PPM	
1,1,1-Trichloro-Ethane		1500	ND	Pass
1,2-Dichloro-Ethane	2	5	ND	Pass
Acetone	40	5000	ND	Pass
Acetonitrile	16	410	ND	Pass
Benzene	2	2	ND	Pass
Butanes	40	5000	ND	Pass
Chloroform	2	60	ND	Pass
Dichloromethane	2	600	<LOQ	Pass
Dimethyl Sulfoxide		5000	ND	Pass
Ethanol	200	5000	ND	Pass
Ethyl-Acetate	200	5000	ND	Pass
Ethyl-Ether	20	5000	ND	Pass
Heptane	20	5000	ND	Pass
Hexanes	6	290	ND	Pass
Isopropanol	200	5000	ND	Pass
Methanol	120	3000	<LOQ	Pass
Pentanes	60	5000	ND	Pass
Propane	20	5000	ND	Pass
Toluene	4	890	<LOQ	Pass
Xylenes	26	2170	ND	Pass

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. All results were generated by ISO certified methods to fulfill state testing requirements. If DMSO and 1,1,1-Trichloroethane are reported, they are tentatively identified, but not quantitatively confirmed.
 ND = Not Detected; NT = Not Tested; NR = Not Reported


 Lot number reformatted per
 client request

 Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com


Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2401ACTNY0048.0245

 Strain: Bliss
 Batch#: 012625 V0188; Batch Size: 4000 units
 Sample Received: 01/30/2024 09:57
 Report Created: 05/04/2024 05:44 pm
 Sampling SOP 204-NY

Ayrloom 'Bliss' Vape

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 02/03/2024 16:30

Pass

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Abamectin	0.50	0.39	ND	Pass
Acephate	0.40	0.10	ND	Pass
Acequinocyl	2.00	0.10	ND	Pass
Acetamiprid	0.20	0.10	ND	Pass
Aldicarb	0.40	0.10	ND	Pass
Azadirachtin	1.00	0.08	ND	Pass
Azoxystrobin	0.20	0.10	ND	Pass
Bifenazate	0.20	0.10	ND	Pass
Bifenthrin	0.20	0.10	<LOQ	Pass
Boscalid	0.40	0.10	ND	Pass
Captan	1.00		TIC	Pass
Carbaryl	0.20	0.10	ND	Pass
Carbofuran	0.20	0.10	ND	Pass
Chlorantraniliprole	0.20	0.10	ND	Pass
Chlordane	1.00	0.10	<LOQ	Pass
Chlorfenapyr	1.00	0.10	ND	Pass
Chlormequat chloride	1.00		TIC	Pass
Chlorpyrifos	0.20	0.10	ND	Pass
Clofentezine	0.20	0.10	ND	Pass
Coumaphos	1.00	0.10	ND	Pass
Cyfluthrin	1.00	0.50	ND	Pass
Cypermethrin	1.00	0.10	ND	Pass
Daminozide	1.00	0.10	ND	Pass
Diazinon	0.20	0.10	ND	Pass
Dichlorvos	1.00	0.10	ND	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.

ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Lot number reformatted per
client request

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2401ACTNY0048.0245

 Strain: Bliss
 Batch#: 012625 V0188; Batch Size: 4000 units
 Sample Received: 01/30/2024 09:57
 Report Created: 05/04/2024 05:44 pm
 Sampling SOP 204-NY

Ayrloom 'Bliss' Vape

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 02/03/2024 16:30

Pass

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Dimethoate	0.20	0.10	ND	Pass
Dimethomorph	1.00	0.10	ND	Pass
Ethoprophos	0.20	0.10	ND	Pass
Etofenprox	0.40	0.10	ND	Pass
Etoxazole	0.20	0.10	ND	Pass
Fenhexamid	1.00	0.10	ND	Pass
Fenoxycarb	0.20	0.10	ND	Pass
Fenpyroximate	0.40	0.10	ND	Pass
Fipronil	0.40	0.10	ND	Pass
Fonicamid	1.00	0.10	ND	Pass
Fludioxonil	0.40	0.10	ND	Pass
Hexythiazox	1.00	0.10	ND	Pass
Imazalil	0.20	0.10	ND	Pass
Imidacloprid	0.40	0.10	ND	Pass
Indolebutyric Acid	1.00	0.08	ND	Pass
Kresoxim Methyl	0.40	0.10	ND	Pass
Malathion	0.20	0.10	ND	Pass
Metalaxyl	0.20	0.10	ND	Pass
Methiocarb	0.20	0.10	ND	Pass
Methomyl	0.40	0.10	ND	Pass
Methyl Parathion	0.20	0.10	ND	Pass
Mevinphos	1.00	0.10	ND	Pass
MGK-264	0.20		TIC	Pass
Myclobutanil	0.20	0.10	ND	Pass
Naled	0.50	0.10	ND	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.

ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.


 Lot number reformatted per
 client request

 Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com


Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2401ACTNY0048.0245

 Strain: Bliss
 Batch#: 012625 V0188; Batch Size: 4000 units
 Sample Received: 01/30/2024 09:57
 Report Created: 05/04/2024 05:44 pm
 Sampling SOP 204-NY

Ayrloom 'Bliss' Vape

Concentrates & Extracts, Vape



Pesticides

SOP 814-NY

Date/Time Tested: 02/03/2024 16:30

Pass

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Oxamyl	1.00	0.10	ND	Pass
Paclobutrazol	0.40	0.10	ND	Pass
Pentachloronitrobenzene	1.00	0.10	ND	Pass
Permethrins [M+NH4] Total	0.20	0.10	ND	Pass
Phosmet	0.20	0.10	ND	Pass
Piperonyl Butoxide	2.00	0.10	<LOQ	Pass
Prallethrin	0.20	0.10	ND	Pass
Propiconazole	0.40	0.10	<LOQ	Pass
Propoxur	0.20	0.10	ND	Pass
Pyrethrins Total	1.00	0.07	ND	Pass
Pyridaben	0.20	0.10	ND	Pass
Spinetoram Total	1.00	0.10	ND	Pass
Spinosad Total	0.20	0.10	ND	Pass
Spiromesifen	0.20	0.10	ND	Pass
Spirotetramat	0.20	0.10	ND	Pass
Spiroxamine	0.20	0.10	ND	Pass
Tebuconazole	0.40	0.10	ND	Pass
Thiacloprid	0.20	0.10	ND	Pass
Thiamethoxam	0.20	0.10	ND	Pass
Trifloxystrobin	0.20	0.10	ND	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory. If captan, chlormequat chloride, or MGK-264 are reported, they are tentatively identified, but not quantitatively confirmed.
 ND = Not Detected; NT = Not Tested; NR = Not Reported. "TIC" means tentatively identified, but not quantitatively confirmed.



Lot number reformatted per
client request

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



Gen V Labs, LLC
 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2401ACTNY0048.0245

Strain: Bliss
 Batch#: 012625 V0188; Batch Size: 4000 units
 Sample Received: 01/30/2024 09:57
 Report Created: 05/04/2024 05:44 pm
 Sampling SOP 204-NY

Ayrloom 'Bliss' Vape
 Concentrates & Extracts, Vape



Microbials

◆SOP 401-NY ◆SOP 619-NY

Date/Time Tested: 01/31/2024 16:25

Analyte	LOQ	Limit	Units	Status
Total Viable Aerobic Bacteria (3M)	CFU/g 1000	CFU/g 10000	CFU/g <LOQ	Pass
Total Yeast & Mold (3M)	100	1000	<LOQ	Pass
STEC E. Coli (PDx)		Absent	Absent	Pass
Aspergillus fumigatus		Absent	Absent	Pass
Aspergillus niger		Absent	Absent	Pass
Aspergillus terreus		Absent	Absent	Pass
Aspergillus flavus		Absent	Absent	Pass
Salmonella Species (PDx)		Absent	Absent	Pass

Notes:

Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported



Lot number reformatted per client request

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



* indicates a subcontracted result. † indicates a result not regulated by OCM. ◆ indicates ISO/IEC 17025:2017 accreditation is pending This product has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Results apply to the sample as received. Values reported relate only to the product tested. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or nondetected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories.

Gen V Labs, LLC

 4473 Cherry Valley Turnpike
 Lafayette, NY 13084
 caitlinb@beakandskiff.com
 (607) 283-3623

Sample: 2401ACTNY0048.0245

 Strain: Bliss
 Batch#: 012625 V0188; Batch Size: 4000 units
 Sample Received: 01/30/2024 09:57
 Report Created: 05/04/2024 05:44 pm
 Sampling SOP 204-NY

Ayrloom 'Bliss' Vape

Concentrates & Extracts, Vape



Heavy Metals

SOP 250-NY

Date/Time Tested: 02/01/2024 10:52

Pass

Analyte	Limit	LOQ	Mass	Status
	µg/g	µg/g	µg/g	
Antimony	2.000	0.240	ND	Pass
Arsenic	0.200	0.200	ND	Pass
Cadmium	0.300	0.200	ND	Pass
Chromium	110.000	0.240	ND	Pass
Copper	30.000	0.240	ND	Pass
Lead	0.500	0.240	ND	Pass
Mercury	0.100	0.048	ND	Pass
Nickel	2.000	0.240	ND	Pass

Notes:

 LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
 ND = Not Detected; NT = Not Tested; NR = Not Reported

 Lot number reformatted per
 client request

 Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com


Gen V Labs, LLC

4473 Cherry Valley Turnpike
Lafayette, NY 13084
caitlinb@beakandskiff.com
(607) 283-3623

Sample: 2401ACTNY0048.0245

Strain: Bliss
Batch#: 012625 V0188; Batch Size: 4000 units
Sample Received: 01/30/2024 09:57
Report Created: 05/04/2024 05:44 pm
Sampling SOP 204-NY

Ayrloom 'Bliss' Vape

Concentrates & Extracts, Vape



Mycotoxins

SOP 808-NY
Date/Time Tested: 02/03/2024 08:46

Pass

Analyte	Mass	Limit	LOQ	Status
Ochratoxin A	ng/g ND	ng/g 20	ng/g 5.0	Pass
Total Aflatoxins	ng/g ND	ng/g 20	ng/g 5.0	Pass

Notes:

LOQ = Limit of Quantitation. Unless otherwise stated all quality control tests performed within specifications established by the Laboratory.
ND = Not Detected; NT = Not Tested; NR = Not ReportedLot number reformatted per
client requestConfident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com